

APPENDIX 1: Croteau Est - drill table statistics CBSZ

Hole ID	Easting	Northing	Elevation	Coordinate System	Azimuth	Dip	EOH (m)	From (m)	To (m)	Length (m)	Au (g/t)
CRO11_01	530721.5	5535642.4	373.2	UTM NAD83-Z18	1.7	-45.23	300	10.2	11.2	1	1.44
								19.9	21.9	2	1.84
								29.6	29.9	0.3	4.15
								41.1	45.5	4.4	2.17
								75.5	76.5	1	1.58
								109.8	110.4	0.6	1.71
								114.4	115.4	1	0.56
CRO11_02	530720.5	5535640.4	373.5	UTM NAD83-Z18	0	-60	396	8	9	1	1.03
								24.6	25.2	0.6	0.62
								29.25	30	0.75	0.65
								29.25	31.25	2	0.54
								30.75	31.25	0.5	0.53
								44.75	48.13	3.38	1.13
								52.5	53.5	1	0.67
								54.6	55.3	0.7	0.65
								63	65	2	2.06
								69.25	73.25	4	1.29
								90.3	97.5	7.2	1.43
								103.25	103.8	0.55	3.72
								135.7	139	3.3	0.74
145	146	1	2.12								
CRO11_03	530723.1	5535789.6	374.7	UTM NAD83-Z18	184.1	-43.77	309	82	83	1	0.63
								135	140	5	0.98
								145	148.25	3.25	0.50
								152	153	1	0.51
								163	164	1	0.87
								173	174	1	1.54
								176.35	177.5	1.15	3.09
								193.75	196.75	3	0.62
								199	204	5	1.26
208.85	211	2.15	2.29								
214	219	5	0.73								
CRO11_04	530748.8	5535831.6	371.2	UTM NAD83-Z18	360	-45	396	79	80.4	1.4	1.25
CRO11_05	530719.1	5535543.6	373	UTM NAD83-Z18	1.2	-60.19	351	155.35	156	0.65	0.51
								158.85	159.7	0.85	0.52
								170.15	177.5	7.35	10.24
								179.95	190.5	10.55	10.63
								181.75	187	5.25	20.56
								188.5	190.5	2	1.73
								196	197	1	0.88
								201	202	1	1.79
214.5	215.25	0.75	1.07								
240.7	245.1	4.4	2.24								

Hole ID	Easting	Northing	Elevation	Coordinate System	Azimuth	Dip	EOH (m)	From (m)	To (m)	Length (m)	Au (g/t)
								254.2	255.6	1.4	0.69
								286.8	287.5	0.7	0.71
CRO11_06	530663.8	5535626.4	372.6	UTM NAD83-Z18	358.2	-45.6	237	15.55	18	2.45	8.53
								28	38	10	2.88
								31.25	34	2.75	1.23
								35.1	36	0.9	0.70
								37.2	38	0.8	0.56
								42	42.75	0.75	0.81
								48.3	48.8	0.5	7.80
								54.8	55.6	0.8	0.92
								61.75	64.5	2.75	1.59
								71	81.15	10.15	1.34
								84	87.5	3.5	0.72
								118	119.05	1.05	1.88
								121.6	122.3	0.7	0.66
								125.65	126.3	0.65	0.69
								129	130	1	9.64
								143.3	144	0.7	2.46
								173.3	173.7	0.4	0.87
CRO11_07	530663.8	5535626.4	372.6	UTM NAD83-Z18	360	-45	27	12.25	14.7	2.45	1.18
								25	27	2	2.70
CRO11_08	530663.8	5535626.4	373.3	UTM NAD83-Z18	357.4	-60.36	303	18.5	19.1	0.6	0.61
								25	35	10	2.52
								47	51	4	1.47
								56	56.6	0.6	1.06
								78.4	79	0.6	1.64
								84	85.5	1.5	1.89
								94	96	2	1.71
								98.4	101.5	3.1	2.12
								104	104.8	0.8	3.42
								107.9	108.6	0.7	3.34
								117	119	2	2.05
								129	129.6	0.6	0.66
								131.95	132.4	0.45	6.87
								136	137	1	0.96
								139.7	141	1.3	0.75
								144	145	1	0.65
								154.55	155.2	0.65	8.16
								159.7	160.3	0.6	1.64
								163	163.7	0.7	0.82
CRO12_09	530617.8	5535604.4	372.5	UTM NAD83-Z18	358.7	-43.81	201	38	38.75	0.75	1.47
								39.2	39.5	0.3	1.17
								47.55	47.95	0.4	0.73
								66	67	1	0.72
								83	91.75	8.75	0.54

Hole ID	Easting	Northing	Elevation	Coordinate System	Azimuth	Dip	EOH (m)	From (m)	To (m)	Length (m)	Au (g/t)
								110	111.7	1.7	1.78
								117	117.95	0.95	1.57
								130	131.15	1.15	3.85
CRO12_10	530617.83	5535604.4	372.6	UTM NAD83-Z18	360	-58.62	278	58	58.8	0.8	9.84
								77.4	81	3.6	1.65
								84.35	85	0.65	0.64
								90.75	110.3	19.55	8.55
								115.2	116	0.8	3.08
								133.55	134.3	0.75	0.72
								164	165	1	0.84
CRO12_11	530564	5535600	371.6	UTM NAD83-Z18	355.1	-45.68	180	74	76	2	1.30
								91	97.6	6.6	1.03
								100	108.3	8.3	2.10
CRO12_12	530564.4	5535600	371.7	UTM NAD83-Z18	359.4	-59.66	267	82	83	1	0.55
								86	87	1	0.95
								93.3	95	1.7	1.68
								102	103	1	1.40
								108	109	1	0.57
								112	119	7	1.88
								125	128	3	0.76
								131	132	1	1.60
								149	151	2	1.36
								178	179	1	0.99
CRO12_13	530771.6	5535603.2	374.1	UTM NAD83-Z18	5	-45.26	201	63.75	64.5	0.75	0.53
								81	82	1	0.71
								93	94	1	0.60
								106	107	1	2.85
								128	129	1	0.69
CRO12_14	530771.6	5535603.2	374.1	UTM NAD83-Z18	4.2	-59.5	306	111	113	2	0.67
								170.6	171.75	1.15	1.98
								194	194.55	0.55	1.61
								220	221	1	0.64
								227	228	1	0.74
								235.2	235.4	0.2	1.40
								274	275	1	2.06
CRO12_15	530822.1	5535600.4	371.6	UTM NAD83-Z18	359.4	-46.46	297	72	73	1	0.60
								76.8	78	1.2	2.63
								85.1	86	0.9	3.61
								96	97	1	0.54
								109	110	1	1.04
CRO12_16	530822.1	5535600.4	371.7	UTM NAD83-Z18	355.1	-60.43	330	10.4	10.9	0.5	2.14
								84.65	85.5	0.85	2.56
								120	122	2	1.19
								166	167	1	1.83

Hole ID	Easting	Northing	Elevation	Coordinate System	Azimuth	Dip	EOH (m)	From (m)	To (m)	Length (m)	Au (g/t)
								190	191	1	0.86
								210	213	3	0.75
								218	220.5	2.5	0.61
								228	231.7	3.7	0.66
								244.5	246.1	1.6	2.81
								285	286	1	0.57
CRO12_21	530520.5	5535604	370	UTM NAD83-Z18	360	-45	213	59.15	59.65	0.5	34.50
								67.4	68	0.6	1.82
								71	75	4	0.82
								85	87	2	0.73
								97.6	101.6	4	2.53
								104	105	1	2.25
								115.8	119	3.2	2.93
								128	131	3	2.29
CRO12_22	530520.5	5535604	370	UTM NAD83-Z18	360	-60	273	71	72.55	1.55	6.84
								75.6	76.3	0.7	0.66
								91	92	1	2.90
								97	105	8	1.14
								108.8	109.3	0.5	1.02
								115.8	117	1.2	0.65
								130	132	2	1.62
CRO12_23	530464.32	5535591	370	UTM NAD83-Z18	360	-45	171	56	60	4	1.11
								140.35	141	0.65	2.04
								141.5	142	0.5	4.02
CRO12_24	530464.3	5535591	370	UTM NAD83-Z18	360	-60	252	68	70	2	1.51
								79	79.8	0.8	1.08
								189	189.6	0.6	0.51
								192	192.55	0.55	1.07
CRO12_25	530414	5535600.4	370	UTM NAD83-Z18	360	-45	177	36	37	1	3.54
								143.75	144.5	0.75	5.07
								149	150.12	1.12	1.95
CRO12_26	530414	5535600.4	370	UTM NAD83-Z18	360	-60	252	112	112.7	0.7	1.04
								120	121	1	0.62
								175	176	1	1.61
								180	181.5	1.5	1.31
								199	200	1	0.75
CRO12_29	530665.6	5535536.8	370	UTM NAD83-Z18	357	-60	276	106	107	1	0.80
								117	118	1	0.87
								146	150	4	1.45
								153.6	154.2	0.6	3.59
								171.6	181.35	9.75	3.50
								189	190.5	1.5	3.53
								196.25	201	4.75	1.62
								205.7	206.2	0.5	0.75

Hole ID	Easting	Northing	Elevation	Coordinate System	Azimuth	Dip	EOH (m)	From (m)	To (m)	Length (m)	Au (g/t)
								216	218.72	2.72	1.99
								226.7	230	3.3	0.75
								236	238.5	2.5	0.86
CRO12_30	530717.2	5535445.6	373	UTM NAD83-Z18	358.5	-62.81	477	203.6	204.4	0.8	4.72
								314	314.45	0.45	1.13
								333.45	335.5	2.05	1.42
								338.75	343.75	5	0.71
								357	358	1	0.75
								361.35	362	0.65	1.15
								397	414	17	0.94
CRO12_31	530653	5535442.4	372.2	UTM NAD83-Z18	358.4	-66	426	197.1	198	0.9	0.68
								275.4	278.6	3.2	1.29
								280.75	281.4	0.65	0.64
								316.1	335.2	19.1	1.94
								353.6	356.95	3.35	0.82
								367.35	367.95	0.6	0.61
								370	372	2	1.78
								388.35	389.25	0.9	2.17
CRO12_32	530619.8	5535513.6	372.1	UTM NAD83-Z18	1.3	-66.5	336	68	70.5	2.5	0.84
								78.65	80	1.35	0.56
								231	234.4	3.4	1.49
								244	245	1	2.58
								253.65	256.6	2.95	4.54
								268.5	271.25	2.75	1.36
								278.95	279.5	0.55	4.46
								287	288	1	0.66
CRO12_33	530562.6	5535496.6	372.2	UTM NAD83-Z18	1.2	-55.95	345	204.75	206.2	1.45	0.87
								212	213	1	0.60
								267.25	270.35	3.1	3.84
CRO12_34	530823	5535538	371.8	UTM NAD83-Z18	357.9	-60.76	393	72	72.5	0.5	0.55
								156.4	156.7	0.3	5.55
								160.25	167.9	7.65	3.08
								171.85	177	5.15	1.16
								181	188.05	7.05	2.18
								191.3	196.25	4.95	0.59
								198.6	199.3	0.7	1.98
								222.5	233.15	10.65	2.88
								238.55	250.15	11.6	3.17
								305	306	1	1.56
CRO12_35	530820	5535446	372.6	UTM NAD83-Z18	3	-60	441	33	34	1	0.64
								282.25	284.7	2.45	0.90
								287.75	288.3	0.55	0.69
								294	299	5	0.73
								331	331.55	0.55	0.50

Hole ID	Easting	Northing	Elevation	Coordinate System	Azimuth	Dip	EOH (m)	From (m)	To (m)	Length (m)	Au (g/t)
								353	353.4	0.4	49.40
								359	360	1	0.59
								367	370	3	1.36
CRO12_36	530717.8	5535259	372.7	UTM NAD83-Z18	5.2	-67.38	657	141.4	142.4	1	0.76
								281.75	282.5	0.75	0.69
								286.8	287.25	0.45	0.71
								517.6	519	1.4	0.63
								528.95	530.25	1.3	1.40
								533	535.25	2.25	0.79
								540.25	542.25	2	4.47
								545.4	549.75	4.35	2.96
								558	566	8	1.51
								570	570.75	0.75	0.78
								582.75	586.25	3.5	0.95
CRO12_37	530770	5535524	377	UTM NAD83-Z18	1	-61	362.4	201.8	202.25	0.45	0.64
								211	213	2	0.65
								215.25	215.65	0.4	1.12
								216.5	217.15	0.65	1.06
								224	225	1	0.55
								227	228	1	0.84
								230.9	231.35	0.45	0.89
								262	270.75	8.75	1.36
								300	301	1	0.95
CRO12_38	530866	5535539.6	378.4	UTM NAD83-Z18	4.3	-58.28	339.8	139.7	140.55	0.85	2.91
								151	152	1	0.80
								162	164.2	2.2	0.62
								167	167.6	0.6	0.93
								171	172	1	0.65
								186	187.25	1.25	1.85
								194	195	1	4.20
								206	214.8	8.8	2.74
								220	231	11	1.19
								236	243	7	0.72
								285.6	286.3	0.7	0.63
CRO12_39	530569	5535416	373.8	UTM NAD83-Z18	358.8	-58.43	406	43.37	43.72	0.35	23.50
								277	278	1	0.57
								359.43	361.7	2.27	1.57
CRO12_41	530915.6	5535532	376.3	UTM NAD83-Z18	358.6	-58.19	346	153.35	155.2	1.85	28.04
								170.35	180	9.65	1.78
								185.7	199.5	13.8	0.93
								207.45	220	12.55	2.29
								223.5	227	3.5	1.66
								232	235.2	3.2	0.93
								240	246	6	0.94
								249	250.2	1.2	1.77

Hole ID	Easting	Northing	Elevation	Coordinate System	Azimuth	Dip	EOH (m)	From (m)	To (m)	Length (m)	Au (g/t)
								253	259	6	0.86
								263.7	264.45	0.75	0.54
								268.65	270.65	2	1.96
								273	273.5	0.5	0.74
								275.5	276.1	0.6	1.47
								284	287	3	0.77
								301.5	305.75	4.25	1.09
CRO12_42	530519.3	5535455.6	373.1	UTM NAD83-Z18	0.4	-59.71	400	258	260	2	0.90
								276.45	278.2	1.75	6.53
								305.32	307.63	2.31	2.28
								358	358.5	0.5	1.06
								361	362	1	1.95
CRO12_43	530970.9	5535538.4	372.5	UTM NAD83-Z18	1.5	-60.13	444	175.55	178.55	3	0.86
								200.7	205.7	5	1.87
								209.7	211.7	2	1.73
								216.9	221.4	4.5	0.76
								226.4	227.2	0.8	0.59
								246.85	247.36	0.51	1.82
								327.5	328.5	1	0.55
								332.2	338.7	6.5	0.61
CRO12_44	530519.3	5535455.6	373.1	UTM NAD83-Z18	0.9	-45.68	340	222.3	222.73	0.43	0.64
								223.7	224.7	1	0.53
								231.5	233.5	2	2.03
								304	306.38	2.38	1.11
CRO12_45	530916.5	5535461.6	373.8	UTM NAD83-Z18	356.6	-56.84	512	262	267.4	5.4	1.38
								293	294.07	1.07	0.71
								298	299	1	2.85
								303	304	1	0.69
								318	319	1	1.81
								354	355	1	4.13
								400.88	401.88	1	0.65
								426	427.8	1.8	1.86
CRO12_46	531023.8	5535537.6	374.2	UTM NAD83-Z18	0.4	-59.51	478.2	152	155	3	1.52
								165.5	166	0.5	0.52
								168.7	172	3.3	0.87
								216.9	217.75	0.85	3.34
								221.57	226.8	5.23	1.23
								228.9	229.55	0.65	4.51
								240.65	247.5	6.85	21.32
								252.35	253.55	1.2	1.05
								274	275	1	1.17
								283.9	291	7.1	2.15
								294	295	1	1.50
								299.75	301	1.25	1.03
								305.5	306.5	1	1.00

Hole ID	Easting	Northing	Elevation	Coordinate System	Azimuth	Dip	EOH (m)	From (m)	To (m)	Length (m)	Au (g/t)
								310	317	7	0.57
								339	340	1	1.37
								343.5	344.5	1	0.54
								351.5	352.1	0.6	1.04
								457.3	458	0.7	0.58
CRO12_47	531026.8	5535434	375.4	UTM NAD83-Z18	2.8	-58.02	436	331	334	3	2.14
								348.2	349	0.8	2.45
								359.26	360.18	0.92	0.80
CRO12_48	531069.8	5535534.4	374.3	UTM NAD83-Z18	3.1	-57.5	421	153.3	153.7	0.4	1.44
								157	159	2	1.46
								161.1	162	0.9	1.92
								165.8	168.35	2.55	1.44
								170.75	171.8	1.05	3.90
								245	247	2	1.79
								265.7	266.7	1	3.91
								274.5	275.1	0.6	0.62
								284.6	285.4	0.8	2.06
								291.9	292.9	1	2.39
								297.6	298.6	1	0.59
								363.25	364	0.75	1.24
CRO12_49	531116.4	5535532	377	UTM NAD83-Z18	0.6	-58.46	433	205.4	206.1	0.7	0.92
								270.4	273	2.6	9.49
								283.5	284	0.5	3.05
								288	288.6	0.6	0.66
								294	294.65	0.65	0.74
								298	299	1	0.71
								304.6	305.1	0.5	0.53
								307	307.75	0.75	0.85
								313.35	314	0.65	10.55
								334	334.8	0.8	0.57
								343.8	345.15	1.35	1.46
								355.4	356	0.6	1.10
								357.5	358	0.5	0.91
CRO12_50	531122.9	5535427.2	378.7	UTM NAD83-Z18	4.7	-58.27	523	487.6	487.9	0.3	2.12
								494.2	497.2	3	2.61
CRO12_51	531169.3	5535528.4	374.8	UTM NAD83-Z18	359.7	-56.68	421	319	323	4	1.32
								330	336	6	0.69
								361	364.65	3.65	0.89
								370.75	371.3	0.55	0.60
								375.9	382	6.1	0.62
								384.15	386	1.85	0.75
CRO12_53	531270.1	5535546.6	377.8	UTM NAD83-Z18	2.7	-51.67	387	312.8	313.2	0.4	1.38
CRO12_54	530924	5535261.6	375.2	UTM NAD83-Z18	5.7	-65.84	793	526.8	527.8	1	0.62
								531.8	532.2	0.4	0.74

Hole ID	Easting	Northing	Elevation	Coordinate System	Azimuth	Dip	EOH (m)	From (m)	To (m)	Length (m)	Au (g/t)
								537.2	540.9	3.7	2.74
								551.5	554.5	3	0.91
								589.6	589.9	0.3	1.07
								598.9	600	1.1	1.51
								621.7	622	0.3	0.72
								657	665	8	0.60
								672.4	673.2	0.8	0.93
								674.4	675.4	1	0.50
								679.7	685	5.3	4.19
								730.6	733.2	2.6	8.71
CRO12_55	531371.5	5535633.6	372.6	UTM NAD83-Z18	4.2	-51.8	475	106.65	107.25	0.6	5.76
CRO13_56	530870	5535600	370	UTM NAD83-Z18	360	-51	249.7	28.5	29.4	0.9	8.25
								38	38.55	0.55	0.82
								43.65	44.55	0.9	0.57
								52.1	53.7	1.6	0.54
								57.5	58.25	0.75	0.94
								92	93	1	1.18
								126.5	128.7	2.2	2.34
								142.65	143.55	0.9	0.61
								213.7	214.7	1	0.98
CRO13_57	530920	5535600	370	UTM NAD83-Z18	360	-51	262	79.2	85	5.8	0.75
								88.5	91.6	3.1	0.82
								123	124	1	2.19
								131	131.5	0.5	1.22
								134	135	1	0.52
								154	155	1	3.36
								160	160.9	0.9	0.54
								165	168	3	0.90
								173	173.7	0.7	1.72
								227.8	228.3	0.5	1.20
								250	251	1	0.85
								255	256	1	5.32
CRO13_58	531025	5535625	370	UTM NAD83-Z18	360	-51	250	29	29.5	0.5	1.02
								32.1	36	3.9	0.64
								39	40	1	0.53
								43.35	44	0.65	0.83
								51.8	52.85	1.05	2.31
								57.75	61	3.25	0.78
								111	112.3	1.3	2.27
								122	124.55	2.55	0.54
								131	131.75	0.75	0.52
								139.9	141.25	1.35	1.62
								216.7	217.8	1.1	0.91
CRO13_60	530520	5535400	370	UTM NAD83-Z18	360	-45	75	67	68	1	0.58

Hole ID	Easting	Northing	Elevation	Coordinate System	Azimuth	Dip	EOH (m)	From (m)	To (m)	Length (m)	Au (g/t)
CRO13_61	530470	5535400	370	UTM NAD83-Z18	360	-45	84	25.2	26	0.8	2.77
CRO13_62	530420	5535400	370	UTM NAD83-Z18	360	-45	102	27.8	29.4	1.6	0.57
								33.8	34.4	0.6	0.64
								38	38.55	0.55	5.63