

Promontorio Drill Results Table

DC12B516 X Y Elev Azimut Dip
 9944.742 10148.027 2015.605 182.1647 -59.2733

Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %
B516	123.45-124.10	0.65	0.222	Promontorio	0.21	139	0.1	0.21	0.91
and	131.70-132.45	0.75	0.375	“	0.16	874	1.29	2.52	0.56
and	171.45-171.90	0.45	0.225	“	0.399	1,950	0.52	1.2	3
and	214.95-215.30	0.35	0.120	“	0.008	79	0.07	0.2	0.51
and	248.65-249.15	0.5	0.171	“	0.217	92	0.22	0.51	2.91
and	254.10-255.80	1.7	0.581	“	0.48	168	0.9	1.63	1.16
and	257.6-262.80	5.2	2.983	“	1.24	296	1.23	1.48	3.95
and	264.45-267.45	3	1.928	“	0.6	212	2.54	2.29	2.58
and	281.60-283.55	1.95	1.494	“	0.13	67	0.17	0.24	1.11
and	296.35-297.30	0.95	0.325	“	0.68	173	0.25	0.4	3.51
and	298.80-299.40	0.6	0.300	“	0.24	60	0.18	0.38	0.5
and	347.90-349.00	1.1	0.550	“	0.023	81	0.17	0.38	1.58
and	381.85-382.40	0.55	0.188	“	0.086	84	0.36	0.49	0.76

DC12B517 X Y Elev Azimut Dip
 10176.032 10081.59 2008.894 184.161 -59.758

Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %
B517	342.25-342.60	0.35	0.120	“	0.061	83	0.03	0.45	0.89
and	343.50-344.00	0.5	0.171	“	0.061	78	0.15	0.26	0.53

DC12B518 X Y Elev Azimut Dip
 9891.952 10021.264 2030.843 300.576 -54.715

Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %
B518	79.20-81.00	1.8	1.379	El Gallo	0.04	294	0.15	0.32	0.07
and	122.15-123.6	1.45	1.428	“	0.037	149	0.06	0.07	0.27
and	140.10-141.00	0.9	0.689	“	0.017	151	0.24	0.78	1.67

DC12B519 X Y Elev Azimut Dip
 9944.9238 10148.3276 2015.5095 185.459 -69.968

Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %
B519	176.50-178.00	1.5	1.229	Promontorio	0.01	133	0.45	0.18	0.53
and	203.50-204.20	0.7	0.606	“	0.592	296	2.21	3.94	0.53

Promontorio Drill Results Table

DC12B520 X Y Elev Azimut Dip
 10118.596 9973.756 1995.599 86.7708 -55.6919

Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %
B520	183.00-184.30	1.3	0.445	Promontorio	0.008	65	0.05	0.09	0.11
and	195.85-201.90	6.05	3.025	“	0.35	670	0.11	0.12	1.75
and	315.70-323.70	8	4.000	“	0.04	93	0.06	0.09	0.73
and	328.35-329.70	1.35	0.868	“	0.002	112	0.02	0.05	0.32
and	339.00-346.00	7	2.394	“	0.01	211	0.11	0.17	0.25
and	347.00-347.30	0.3	0.103	“	0.036	98	0.14	0.13	1.6
and	348.50-349.70	1.2	0.410	“	0.098	553	0.09	0.16	0.45

DC12B521 X Y Elev Azimut Dip
 10012.02 10026.007 2000.112 266.0953 -61.0392

Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %
B521	26.30-32.70	6.4	4.903	Promontorio	0.01	70	0.17	0.45	1.05
and	38.20-40.85	2.65	1.703	“	0	140	0.13	0.24	0.46
and	44.80-46.30	1.5	1.299	“	0.01	583	0.1	0.13	2.31
and	52.35-54.15	1.8	1.559	“	0.11	1,783	0.46	0.58	2.19
and	59.85-60.45	0.6	0.424	“	0.014	115	0.13	0.13	0.88
and	65.50-65.85	0.35	0.303	“	0.006	287	0.28	0.27	0.74
and	68.50-69.00	0.5	0.383	“	0.096	229	0.1	0.46	0.08
and	76.35-77.15	0.8	0.613	“	0.002	136	0.26	0.45	0.87
and	113.80-114.3	0.5	0.250	“	0.331	1,240	0.6	0.7	0.54
and	116.00-116.80	0.8	0.400	“	0.006	67	0.04	0.09	0.4
and	134.7-135.10	0.4	0.283	“	0.055	151	0.09	0.24	1.45
and	155.15-155.45	0.3	0.150	“	0.009	72	0.04	0.07	0.45
and	158.60-158.90	0.3	0.150	“	0.026	104	0.07	0.33	1.65

DC12B523 X Y Elev Azimut Dip
 9447.171 9719.728 2114.686 150.4175 -45.2256

Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %
B523	90.30-91.00	0.7	0.606	El Gallo	0.163	73	0.54	2.07	0.96

Promontorio Drill Results Table

DC12B524 X Y Elev Azimut Dip
 10198.04 9931.992 1994.223 359.0272 -63.6708

Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Vein	Au g/t	Ag g/t	Pb %	Zn %	Mn %
B524	138.05-138.40	0.35	0.120	Cuerpo Or+	0.045	77	0.08	0.09	1.32

DC12B526 X Y Elev Azimut Dip
 10198.055 9932.193 1994.08 0.8339 -60

Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Vein	Au g/t	Ag g/t	Pb %	Zn %	Mn %
B526	86.80-88.30	1.5	1.061	Cuerpo Or	0.008	92	0.02	0.04	0.8
and	96.55-100.50	3.95	3.236	“	0.021	137	0.04	0.04	0.08

DC12B529 X Y Elev Azimut Dip
 10198.021 9931.649 1994.106 358.7914 -79.2219

Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %
B529	117.65-118.10	0.45	0.190	Promontorio	0.313	193	0.2	0.17	0.54
and	250.60-252.50	1.9	1.645	“	0.11	95	0.26	0.53	1.42
and	322.40-323.45	1.05	0.804	“	1.185	630	0.3	0.45	3.89

DC12B531 X Y Elev Azimut Dip
 10112.903 9972.476 1995.682 337.0397 -49.7803

Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %
B531	41.30-42.60	1.3	0.996	Cuerpo Or	0.008	64	0.25	0.02	1.01
and	50.80-52.40	1.6	1.028	“	0.005	69	0.11	0.14	0.01
and	59.95-61.45	1.5	1.149	“	0.002	157	0.13	0.36	0.01

DC12M121 X Y Elev Azimut Dip
 10005.566 9997.342 1945.265 31.4192 (+)19.7739

Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %
M121	34.50-36.00	1.5	0.964	Promontorio	nr**	97	0.1	0.18	nr

Promontorio Drill Results Table

					X	Y	Elev	Azimut	Dip
DC12M123					10003.5	10000	1865	16	-20
Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %
M123	6.50-7.20	0.7	0.495	Promontorio	0	221	0.04	0.06	0.4
and	11.50-12.70	1.2	0.919	“	0	73	0.1	0.1	0.04
and	18.90-19.20	0.3	0.150	“	0.4	2,150	0.6	1.94	5.95
and	23.40-27.40	3	1.721	“	0	111	0.09	0.12	0.81
and	35.20-39.00	3.8	2.911	“	0.09	483	0.1	0.1	1.27
and	44.75-47.45	2.7	1.736	“	0	241	0.11	0.16	0.36
and	62.75-63.90	1.15	0.575	“	0	990	0.39	0.18	0.77
and	71.20-71.70	0.5	0.250	“	0	196	0.11	0.12	0.29
and	74.50-76.00	1.5	0.964	“	0.08	1,182	0.66	0.89	2.18
					X	Y	Elev	Azimut	Dip
DC12M123					10003.5	10000	1865	16	-20
Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %
M123	78.00-78.50	0.5	0.383	“	0	178	0.73	0.62	0.59
and	79.60-81.00	1.4	0.990	“	0	73	0.08	0.3	0.22
					X	Y	Elev	Azimut	Dip
DC12M130					10003.5	10000	1865	16	0
Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %
M130	4.00-9.00	5	3.214	Promontorio	0	64	0.08	0.12	0.32
and	10.10-11.30	1.2	1.128	“	nr	93	0.04	0.09	0.31

Santa Eduwiges Drill Results Table

			X	Y	Elev	Azimut	Dip			
DC12B525			10697.676	9445.602	1979.887	302.7178	-84.6703			
Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %	
B525	164.90-166.25	1.35	0.462	S. Eduwiges	0.214	95	0.01	0.01	0.34	

			X	Y	Elev	Azimut	Dip			
DC12B527			10480.33	9103.393	2048.877	141.1378	-49.9419			
Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %	
B527	11.05-12.75	1.7	0.718	C. Blanca	0.129	65	0.29	0.19	0.26	

			X	Y	Elev	Azimut	Dip			
DC12B532			10686.136	9389.051	1995.445	316.7936	-65.5967			
Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %	
B532	39.00-40.50	1.5	1.299	S. Bartolo	0.16	266	0.55	0.65	1.3	
and	45.70-46.70	1	0.643	“	0.26	121	0.11	0.26	0.01	
and	53.30-54.00	0.7	0.350	“	0.033	189	0.64	1.54	0.02	
and	73.05-74.10	1.05	0.359	“	0.281	107	0.01	0.05	0.91	

			X	Y	Elev	Azimut	Dip			
DC12M122			10611.386	9377.591	1918.909	99.3561	(+0.3119			
Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %	
M122	1.30-1.70	0.4	0.328	S. Eduwiges	0.8	109	0.1	6.57	0.05	
and	5.55-5.85	0.3	0.246	“	0	247	0.88	1.89	0.37	
and	32.75-33.05	0.3	0.193	“	0	64	0.15	0.29	0.32	

			X	Y	Elev	Azimut	Dip			
DC12M124			10611.501	9376.534	1918.934	136.1775	(-)0.4592			
Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %	
M124	5.50-5.80	0.3	0.260	S. Eduwiges	nr	262	1.36	2.32	0.21	
and	15.20-15.50	0.3	0.193	“	0.6	908	0.52	0.26	0.36	

Santa Eduwiges Drill Results Table

			X	Y	Elev	Azimut	Dip			
DC12M125			10611.412	9377.616	1917.997	97.0922	(-)45.3278			
Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %	
M125	23.25-24.10	0.85	0.831	S. Eduwiges	nr	64	0.11	0.26	0.27	
and	66.20-68.20	2	1.970	“	0.19	273	0.11	0.27	0.13	
and	77.90-78.20	0.3	0.193	“	nr	66	0.27	1.66	0.14	

			X	Y	Elev	Azimut	Dip			
DC12M126			10611.543	9376.422	1920.251	137.8992	-45			
Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %	
M126	49.10-58.00	8.9	8.363	S. Eduwiges	0	65	0.2	0.37	0.54	

			X	Y	Elev	Azimut	Dip			
DC12M127			10611.543	9376.422	1920.251	137.8992	(+)29.5403			
Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %	
M127	5.80-6.25	0.45	0.423	S. Eduwiges	nr	189	0.62	1.35	0.52	
and	7.50-7.80	0.3	0.272	“	nr	81	0.11	0.12	0.48	
and	10.60-12.00	1.4	1.147	“	nr	165	0.1	0.26	0.25	

			X	Y	Elev	Azimut	Dip			
DC12M128			10611.192	9377.696	1920.089	99.5308	(+)31.0614			
Hole Number*	From-To (m)	Core Length (m)	True Length(m)	Area	Au g/t	Ag g/t	Pb %	Zn %	Mn %	
M128	2.60-3.05	0.45	0.258	S. Eduwiges	nr	99	2.56	7.95	1.26	
and	6.60-7.10	0.5	0.287	“	0.7	411	1.18	1.94	0.59	
and	26.00-27.00	1	0.423	“	0	313	0.16	0.53	0.3	
and	31.75-34.80	3.05	2.336	“	0	93	0.21	0.14	0.63	