

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
17-QK-007	7	8	1.00	402251	0.07	0.01	31.2	0.003
17-QK-007	8	9	1.00	402252	0.03	0.01	29.6	0.003
17-QK-007	9	10	1.00	402253	0.005	0.01	26.3	0.003
17-QK-007	10	11	1.00	402254	0.02	0.01	25.7	0.003
17-QK-007	11	12	1.00	402255	0.01	0.01	27.8	0.003
17-QK-007	12	12.55	0.55	402256	0.01	0.01	25	0.003
17-QK-007	12.55	13.22	0.67	402257	0.05	0.04	30.7	0.003
17-QK-007	13.22	14.11	0.89	402258	0.02	0.04	14.1	0.001
17-QK-007	14.11	15	0.89	402259	0.01	0.00	25.6	0.003
17-QK-007	15	16	1.00	402261	0.03	0.02	25.3	0.003
17-QK-007	16	17	1.00	402262	0.03	0.01	39.2	0.004
17-QK-007	17	18	1.00	402263	0.005	0.01	39.3	0.004
17-QK-007	18	19	1.00	402264	0.005	0.01	40.3	0.004
17-QK-007	19	20	1.00	402265	0.01	0.01	41.8	0.004
17-QK-007	20	21	1.00	402266	0.005	0.02	43.2	0.004
17-QK-007	21	21.79	0.79	402267	0.01	0.02	44.5	0.004
17-QK-007	21.79	22.3	0.51	402268	0.25	0.07	42.2	0.004
17-QK-007	22.3	24	1.70	402269	0.04	0.03	45.9	0.005
17-QK-007	24	25	1.00	402271	0.34	0.01	19.9	0.002
17-QK-007	25	26.05	1.05	402272	0.01	0.01	24.2	0.002
17-QK-007	26.05	27.46	1.41	402273	0.04	0.00	16.9	0.002
17-QK-007	27.46	28.21	0.75	402274	0.05	0.01	22.7	0.002
17-QK-007	28.21	29	0.79	402275	0.02	0.01	40.2	0.004
17-QK-007	29	30	1.00	402276	0.14	0.01	30.1	0.003
17-QK-007	30	31	1.00	402277	0.04	0.01	34.2	0.003
17-QK-007	31	32	1.00	402278	0.25	0.01	35.6	0.004
17-QK-007	32	33	1.00	402279	0.04	0.01	43.1	0.004
17-QK-007	33	34	1.00	402281	0.01	0.01	36.9	0.004
17-QK-007	34	35	1.00	402282	0.02	0.01	38.4	0.004
17-QK-007	35	36	1.00	402283	0.11	0.03	45.7	0.005
17-QK-007	36	37	1.00	402284	0.84	0.02	53.6	0.005
17-QK-007	37	38	1.00	402286	0.01	0.01	49.8	0.005
17-QK-007	38	39	1.00	402287	0.21	0.01	51.4	0.005
17-QK-007	39	39.78	0.78	402289	0.01	0.01	46.9	0.005
17-QK-007	39.78	41	1.22	402291	0.04	0.01	24.5	0.002
17-QK-007	41	42	1.00	402292	0.02	0.01	7.7	0.001
17-QK-007	42	43	1.00	402293	0.11	0.01	4.7	0.000
17-QK-007	43	44	1.00	402294	0.18	0.01	4.5	0.000
17-QK-007	44	44.74	0.74	402295	0.01	0.01	4.5	0.000
17-QK-007	44.74	45.08	0.34	402288	0.03	0.01	4.2	0.000
17-QK-007	45.08	46	0.92	402296	0.15	0.01	4.6	0.000
17-QK-007	46	47	1.00	402297	0.09	0.01	5.1	0.001
17-QK-007	47	48	1.00	402298	0.19	0.01	4.5	0.000
17-QK-007	48	49	1.00	402299	0.2	0.01	4.6	0.000
17-QK-007	49	50.28	1.28	402301	0.05	0.01	4.6	0.000
17-QK-007	50.28	50.68	0.40	402302	0.87	0.01	7.5	0.001
17-QK-007	50.68	51.23	0.55	402303	0.29	0.01	3.5	0.000
17-QK-007	51.23	52.25	1.02	402304	4.93	0.01	4.6	0.000
17-QK-007	52.25	53	0.75	402305	0.5	0.01	4.3	0.000
17-QK-007	53	54	1.00	402306	0.35	0.01	4.3	0.000

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
17-QK-007	54	55	1.00	402307	0.5	0.01	4.4	0.000
17-QK-007	55	56	1.00	402308	0.07	0.01	4.3	0.000
17-QK-007	56	57	1.00	402309	1.6	0.01	4.9	0.000
17-QK-007	57	58	1.00	402311	0.11	0.01	5.2	0.001
17-QK-007	58	59	1.00	402312	0.21	0.01	4.9	0.000
17-QK-007	59	60	1.00	402313	0.11	0.01	4.5	0.000
17-QK-007	60	61	1.00	402314	0.26	0.01	5.1	0.001
17-QK-007	61	62	1.00	402315	0.25	0.01	4.7	0.000
17-QK-007	62	63	1.00	402316	0.22	0.01	4.5	0.000
17-QK-007	63	64	1.00	402317	0.33	0.01	4.7	0.000
17-QK-007	64	65	1.00	402318	0.32	0.01	4.3	0.000
17-QK-007	65	66	1.00	402319	0.35	0.01	4.1	0.000
17-QK-007	66	67.41	1.41	402321	0.17	0.01	4.7	0.000
17-QK-007	67.41	68.2	0.79	402322	0.65	0.01	5.3	0.001
17-QK-007	68.2	69.13	0.93	402323	0.14	0.01	5.1	0.001
17-QK-007	69.13	70.29	1.16	402324	0.95	0.01	6.3	0.001
17-QK-007	70.29	71.31	1.02	402325	0.27	0.01	11.4	0.001
17-QK-007	71.31	72	0.69	402326	0.09	0.01	5.9	0.001
17-QK-007	72	73	1.00	402327	0.03	0.01	4.7	0.000
17-QK-007	73	74	1.00	402328	0.27	0.01	4.6	0.000
17-QK-007	74	75	1.00	402329	0.08	0.01	4.6	0.000
17-QK-007	75	76	1.00	402331	0.05	0.01	6.5	0.001
17-QK-007	76	77	1.00	402332	0.09	0.01	8.1	0.001
17-QK-007	77	78	1.00	402333	0.05	0.01	4.4	0.000
17-QK-007	78	78.74	0.74	402334	0.09	0.01	4.4	0.000
17-QK-007	78.74	79.34	0.60	402335	0.07	0.01	5.2	0.001
17-QK-007	79.34	80	0.66	402336	0.43	0.01	5.5	0.001
17-QK-007	80	81.5	1.50	402337	0.62	0.01	6	0.001
17-QK-007	81.5	82.22	0.72	402338	0.3	0.00	8	0.001
17-QK-007	82.22	82.57	0.35	402339	0.3	0.01	7.5	0.001
17-QK-007	82.57	83.58	1.01	402341	0.17	0.01	6.1	0.001
17-QK-007	83.58	84	0.42	402342	0.07	0.00	6.8	0.001
17-QK-007	84	84.44	0.44	402343	0.88	0.01	6	0.001
17-QK-007	84.44	85	0.56	402344	0.07	0.01	6.5	0.001
17-QK-007	85	86	1.00	402345	0.06	0.00	6.2	0.001
17-QK-007	86	86.75	0.75	402285	2.26	0.01	6.3	0.001
17-QK-007	86.75	87.53	0.78	402346	0.06	0.00	7.3	0.001
17-QK-007	87.53	88.68	1.15	402347	0.08	0.00	15.2	0.002
17-QK-007	88.68	90	1.32	402348	0.59	0.01	11.3	0.001
17-QK-007	90	91	1.00	402349	0.05	0.00	6.4	0.001
17-QK-007	91	91.75	0.75	402351	0.08	0.00	6	0.001
17-QK-007	91.75	92.27	0.52	402352	1.01	0.01	4.9	0.000
17-QK-007	92.27	93	0.73	402353	0.16	0.01	6.5	0.001
17-QK-007	93	94	1.00	402354	0.15	0.01	7.1	0.001
17-QK-007	94	95	1.00	402355	0.15	0.01	9.3	0.001
17-QK-007	95	96.21	1.21	402356	0.12	0.01	5.6	0.001
17-QK-007	96.21	97.1	0.89	402357	0.83	0.01	7.9	0.001
17-QK-007	97.1	98	0.90	402358	0.13	0.01	6.1	0.001
17-QK-007	98	99	1.00	402359	0.04	0.01	6.5	0.001
17-QK-007	99	100	1.00	402361	0.2	0.01	9	0.001

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
17-QK-007	100	101	1.00	402362	0.07	0.01	6.7	0.001
17-QK-007	101	102	1.00	402363	0.04	0.00	8.7	0.001
17-QK-007	102	102.53	0.53	402364	0.26	0.01	6.7	0.001
17-QK-007	102.53	103.47	0.94	402365	0.14	0.00	7.5	0.001
17-QK-007	103.47	104	0.53	402366	0.1	0.00	6.6	0.001
17-QK-007	104	105	1.00	402367	0.09	0.00	7.5	0.001
17-QK-007	105	106.25	1.25	402368	0.06	0.00	6.3	0.001
17-QK-007	106.25	107	0.75	402369	0.35	0.00	6.8	0.001
17-QK-007	107	108	1.00	402371	0.07	0.00	5.6	0.001
17-QK-007	108	109	1.00	402372	0.03	0.00	5.5	0.001
17-QK-007	109	110	1.00	402373	0.01	0.00	5.4	0.001
17-QK-007	110	111	1.00	402374	0.17	0.00	5.6	0.001
17-QK-007	111	112.46	1.46	402375	0.06	0.00	5.1	0.001
17-QK-007	112.46	113.39	0.93	402376	0.24	0.00	4.5	0.000
17-QK-007	113.39	114.32	0.93	402377	0.08	0.00	6.8	0.001
17-QK-007	114.32	115.45	1.13	402378	0.02	0.00	5.8	0.001
17-QK-007	115.45	116.68	1.23	402379	0.04	0.00	5.7	0.001
17-QK-007	116.68	117.53	0.85	402381	0.19	0.00	5.9	0.001
17-QK-007	117.53	118.44	0.91	402382	0.04	0.01	6.5	0.001
17-QK-007	118.44	119.69	1.25	402383	0.04	0.00	6.2	0.001
17-QK-007	119.69	120.24	0.55	402384	0.09	0.01	6.7	0.001
17-QK-007	120.24	120.83	0.59	402385	0.37	0.01	5.9	0.001
17-QK-007	120.83	122	1.17	402386	0.11	0.00	5.7	0.001
17-QK-007	122	123	1.00	402387	0.56	0.00	5.3	0.001
17-QK-007	123	124	1.00	402388	0.02	0.00	5.4	0.001
17-QK-007	124	125	1.00	402389	0.05	0.00	6.5	0.001
17-QK-007	125	126	1.00	402391	0.09	0.00	6.1	0.001
17-QK-007	126	127	1.00	402392	0.06	0.00	6.3	0.001
17-QK-007	127	128	1.00	402393	0.13	0.01	8	0.001
17-QK-007	128	128.5	0.50	402394	0.1	0.00	3.5	0.000
17-QK-007	128.5	129	0.50	402395	0.08	0.01	22.5	0.002
17-QK-007	129	129.93	0.93	402396	0.05	0.01	27	0.003
17-QK-007	129.93	130.4	0.47	402397	0.02	0.00	35	0.004
17-QK-007	130.4	131	0.60	402398	0.02	0.01	42.4	0.004
17-QK-007	131	132	1.00	402399	0.02	0.01	41.2	0.004
17-QK-007	132	133	1.00	402401	0.19	0.01	34	0.003
17-QK-007	133	133.75	0.75	402402	0.01	0.01	41.8	0.004
17-QK-007	133.75	134.06	0.31	402403	0.005	0.01	37.9	0.004
17-QK-007	134.06	135	0.94	402404	0.005	0.01	43.7	0.004
17-QK-007	135	135.3	0.30	402405	0.02	0.01	24.5	0.002
17-QK-007	135.3	136	0.70	402406	0.01	0.01	45.7	0.005
17-QK-007	136	137	1.00	402407	0.03	0.01	48.8	0.005
17-QK-007	137	138	1.00	402408	0.005	0.01	75.1	0.008
17-QK-007	138	139	1.00	402409	0.005	0.01	40.1	0.004
17-QK-007	139	140	1.00	402411	0.005	0.01	44.7	0.004
17-QK-007	140	141	1.00	402412	0.01	0.01	46.5	0.005
QK-17-008	5.6	7	1.40	402413	0.005	0.01	28.7	0.003
QK-17-008	7	8	1.00	402414	0.005	0.00	32.4	0.003
QK-17-008	8	9	1.00	402415	0.005	0.00	27	0.003
QK-17-008	9	10	1.00	402416	0.005	0.01	26.9	0.003

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-008	10	11	1.00	402417	0.02	0.01	24.6	0.002
QK-17-008	11	12	1.00	402418	0.01	0.01	20.3	0.002
QK-17-008	12	13	1.00	402419	0.005	0.01	16.8	0.002
QK-17-008	13	14.3	1.30	402421	0.02	0.02	30.6	0.003
QK-17-008	14.3	14.75	0.45	402422	0.14	0.01	52.8	0.005
QK-17-008	14.75	16	1.25	402423	0.17	0.04	39.3	0.004
QK-17-008	16	17	1.00	402424	0.48	0.04	34.5	0.003
QK-17-008	17	17.5	0.50	402425	0.18	0.05	43.9	0.004
QK-17-008	17.5	18	0.50	402426	8.83	0.49	251	0.025
QK-17-008	18	19	1.00	402427	0.6	0.11	221	0.022
QK-17-008	19	20	1.00	402428	0.96	0.30	77.4	0.008
QK-17-008	20	21	1.00	402429	0.03	0.05	44.7	0.004
QK-17-008	21	22.19	1.19	402431	0.08	0.06	53.9	0.005
QK-17-008	22.19	22.49	0.30	402432	0.84	2.91	302	0.030
QK-17-008	22.49	23	0.51	402433	0.11	0.17	37.3	0.004
QK-17-008	23	23.33	0.33	402434	0.005	0.00	21.9	0.002
QK-17-008	23.33	24	0.67	402435	0.15	0.66	24.6	0.002
QK-17-008	24	25	1.00	402436	0.005	0.01	38.7	0.004
QK-17-008	25	26	1.00	402437	0.01	0.01	61.9	0.006
QK-17-008	26	27	1.00	402438	0.005	0.01	44.5	0.004
QK-17-008	27	28	1.00	402439	0.005	0.02	24.4	0.002
QK-17-008	28	29	1.00	402441	0.005	0.01	30.7	0.003
QK-17-008	29	30	1.00	402442	0.07	0.01	33.8	0.003
QK-17-008	30	31	1.00	402443	0.01	0.01	28.9	0.003
QK-17-008	31	32	1.00	402444	0.005	0.00	28.5	0.003
QK-17-008	32	33.18	1.18	402445	0.02	0.01	24.8	0.002
QK-17-008	33.18	34	0.82	402446	0.005	0.02	27.3	0.003
QK-17-008	34	35	1.00	402447	0.005	0.02	30.1	0.003
QK-17-008	35	36	1.00	402448	0.005	0.01	31.3	0.003
QK-17-008	36	36.89	0.89	402449	0.005	0.02	35.7	0.004
QK-17-008	36.89	37.52	0.63	402451	0.005	0.01	28.3	0.003
QK-17-008	37.52	38	0.48	402452	0.005	0.01	17.8	0.002
QK-17-008	38	38.52	0.52	402453	0.005	0.04	38.3	0.004
QK-17-008	38.52	39	0.48	402454	0.005	0.06	59.1	0.006
QK-17-008	39	40	1.00	402455	0.005	0.02	28.7	0.003
QK-17-008	55.95	57.1	1.15	402456	0.005	0.01	28.8	0.003
QK-17-008	61	62	1.00	402457	0.01	0.01	23.9	0.002
QK-17-008	69	70	1.00	402458	0.005	0.01	29.3	0.003
QK-17-008	79	79.42	0.42	402459	0.005	0.03	38.1	0.004
QK-17-008	82	83	1.00	402461	0.005	0.04	47.3	0.005
QK-17-008	85	86	1.00	402462	0.005	0.01	31.8	0.003
QK-17-008	89.55	90	0.45	402463	0.005	0.01	41.8	0.004
QK-17-008	94.29	94.64	0.35	402464	0.005	0.01	26.8	0.003
QK-17-008	99.5	100.85	1.35	402465	0.005	0.01	36.4	0.004
QK-17-008	106.78	107.23	0.45	402466	0.005	0.01	54.1	0.005
QK-17-009	6	7	1.00	410901	0.05	0.01	6.8	0.001
QK-17-009	7	8	1.00	410902	0.51	0.01	6.7	0.001
QK-17-009	8	9	1.00	410903	0.07	0.01	5.2	0.001
QK-17-009	9	10	1.00	410904	0.18	0.01	5.2	0.001
QK-17-009	10	11	1.00	410905	0.05	0.01	4.7	0.000

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-009	11	12	1.00	410906	0.1	0.01	5.2	0.001
QK-17-009	12	13	1.00	410907	0.09	0.01	5	0.001
QK-17-009	13	13.6	0.60	410908	0.19	0.01	5.1	0.001
QK-17-009	13.6	14.03	0.43	409528	0.16	0.01	5.5	0.001
QK-17-009	14.03	15	0.97	410909	0.02	0.01	4.8	0.000
QK-17-009	15	16	1.00	410911	0.04	0.01	4.8	0.000
QK-17-009	16	17	1.00	410912	0.08	0.01	4.4	0.000
QK-17-009	17	18	1.00	410913	0.07	0.01	3.9	0.000
QK-17-009	18	19	1.00	410914	0.05	0.01	7.3	0.001
QK-17-009	19	20	1.00	410915	0.08	0.01	4.8	0.000
QK-17-009	20	21	1.00	410916	0.14	0.01	4.4	0.000
QK-17-009	21	21.3	0.30	409529	13.68	0.01	4.4	0.000
QK-17-009	21.3	21.84	0.54	410917	0.16	0.01	4.9	0.000
QK-17-009	21.84	22.63	0.79	409531	0.5	0.01	4.2	0.000
QK-17-009	22.63	23.17	0.54	409532	1.77	0.01	4.3	0.000
QK-17-009	23.17	24	0.83	410918	0.36	0.01	4.7	0.000
QK-17-009	24	25	1.00	410919	0.08	0.00	4.6	0.000
QK-17-009	25	26	1.00	410921	0.1	0.01	4.8	0.000
QK-17-009	26	27	1.00	410922	0.02	0.01	5.2	0.001
QK-17-009	27	28	1.00	410923	0.03	0.01	5.7	0.001
QK-17-009	28	28.41	0.41	410924	0.03	0.01	4.5	0.000
QK-17-009	28.41	28.66	0.25	409533	7.08	0.01	4.7	0.000
QK-17-009	28.66	30	1.34	410925	0.1	0.01	5.2	0.001
QK-17-009	30	31	1.00	410926	0.08	0.01	5	0.001
QK-17-009	31	32	1.00	410927	0.27	0.01	4.8	0.000
QK-17-009	32	33	1.00	410928	0.23	0.01	5.3	0.001
QK-17-009	33	34	1.00	410929	0.43	0.01	4.7	0.000
QK-17-009	34	35	1.00	410931	0.22	0.01	4.8	0.000
QK-17-009	35	36	1.00	410932	0.12	0.01	5.3	0.001
QK-17-009	36	37	1.00	410933	0.02	0.01	5.3	0.001
QK-17-009	37	38	1.00	410934	0.17	0.01	5.2	0.001
QK-17-009	38	39	1.00	410935	0.06	0.01	5.2	0.001
QK-17-009	39	40	1.00	410936	0.01	0.01	5.1	0.001
QK-17-009	40	41	1.00	410937	0.02	0.01	4.9	0.000
QK-17-009	41	41.5	0.50	410938	0.07	0.01	4.9	0.000
QK-17-009	41.5	42	0.50	409534	0.31	0.02	10.8	0.001
QK-17-009	42	43.2	1.20	410939	0.19	0.01	17.6	0.002
QK-17-009	43.2	44	0.80	410941	0.44	0.01	6	0.001
QK-17-009	44	44.6	0.60	410942	0.01	0.01	5	0.001
QK-17-009	44.65	45.2	0.55	409535	0.18	0.01	4.5	0.000
QK-17-009	45.2	46	0.80	410943	0.07	0.01	4.8	0.000
QK-17-009	46	47	1.00	410944	0.05	0.01	4.6	0.000
QK-17-009	47	47.53	0.53	410945	0.15	0.01	4.9	0.000
QK-17-009	47.53	48	0.47	409536	0.31	0.01	5.1	0.001
QK-17-009	48	48.98	0.98	410946	0.09	0.01	5.2	0.001
QK-17-009	48.98	49.47	0.49	409537	0.03	0.01	5	0.001
QK-17-009	49.47	50.11	0.64	410947	0.03	0.01	4.5	0.000
QK-17-009	50.11	51.54	1.43	410948	0.06	0.01	5.1	0.001
QK-17-009	51.54	51.96	0.42	409538	4.18	0.02	5.2	0.001
QK-17-009	51.96	53	1.04	410949	0.04	0.01	5.4	0.001

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-009	53	54.6	1.60	409627	0.03	0.01	5.6	0.001
QK-17-009	54.6	56	1.40	410951	0.04	0.01	5.6	0.001
QK-17-009	56	57	1.00	410952	0.05	0.01	5.5	0.001
QK-17-009	57	58	1.00	410953	0.03	0.01	4.9	0.000
QK-17-009	58	59	1.00	410954	0.04	0.01	5.2	0.001
QK-17-009	59	60	1.00	410955	0.005	0.01	4.9	0.000
QK-17-009	60	61	1.00	410956	0.01	0.01	4.8	0.000
QK-17-009	61	62	1.00	410957	0.005	0.01	5	0.001
QK-17-009	62	63	1.00	410958	0.1	0.01	4.9	0.000
QK-17-009	63	63.63	0.63	410959	0.01	0.01	4.7	0.000
QK-17-009	63.63	64.05	0.42	410961	0.64	0.01	12	0.001
QK-17-009	64.05	65	0.95	410962	0.03	0.01	5.2	0.001
QK-17-009	65	65.86	0.86	410963	0.03	0.01	4.8	0.000
QK-17-009	65.86	66.18	0.32	410964	0.02	0.01	3.9	0.000
QK-17-009	66.18	67	0.82	410965	0.06	0.01	4.8	0.000
QK-17-009	67	68.12	1.12	410966	0.09	0.00	5.1	0.001
QK-17-009	68.12	69	0.88	410967	0.14	0.01	8	0.001
QK-17-009	69	69.7	0.70	410968	0.24	0.01	8.6	0.001
QK-17-009	69.7	70.35	0.65	410969	0.2	0.01	6.2	0.001
QK-17-009	70.35	71.5	1.15	410971	0.19	0.01	5.2	0.001
QK-17-009	71.5	72	0.50	410972	0.31	0.01	6.7	0.001
QK-17-009	72	73	1.00	410973	0.04	0.01	6.3	0.001
QK-17-009	73	74	1.00	410974	0.06	0.00	7.5	0.001
QK-17-009	74	75	1.00	410975	0.14	0.00	5.5	0.001
QK-17-009	75	75.66	0.66	410976	0.13	0.00	5.4	0.001
QK-17-009	75.66	76.05	0.39	410977	0.1	0.00	4.5	0.000
QK-17-009	76.05	77	0.95	410978	0.12	0.02	5.4	0.001
QK-17-009	77	78.3	1.30	410979	0.06	0.01	6.1	0.001
QK-17-009	78.3	79	0.70	410981	0.22	0.01	5.6	0.001
QK-17-009	79	79.5	0.50	410982	0.67	0.01	7.4	0.001
QK-17-009	79.5	79.88	0.38	410983	0.1	0.00	6.4	0.001
QK-17-009	79.88	81	1.12	410984	0.48	0.00	6.7	0.001
QK-17-009	81	82	1.00	410985	0.8	0.00	6.9	0.001
QK-17-009	82	82.87	0.87	410986	0.26	0.01	6	0.001
QK-17-009	82.87	83.18	0.31	410987	2.9	0.00	6.9	0.001
QK-17-009	83.18	84	0.82	410988	0.44	0.00	5.8	0.001
QK-17-009	84	85	1.00	410989	0.37	0.00	6.1	0.001
QK-17-009	85	85.88	0.88	410991	0.1	0.00	4.8	0.000
QK-17-009	85.88	86.58	0.70	410992	1.66	0.00	6.8	0.001
QK-17-009	86.58	87	0.42	410993	1.05	0.00	9.9	0.001
QK-17-009	87	87.75	0.75	410994	0.08	0.00	36.3	0.004
QK-17-009	87.75	88.5	0.75	410995	0.04	0.01	37.7	0.004
QK-17-009	88.5	90	1.50	410996	0.11	0.00	2.1	0.000
QK-17-009	90	91	1.00	409591	0.29	0.00	2	0.000
QK-17-009	91	91.5	0.50	409592	0.12	0.00	2.5	0.000
QK-17-009	91.5	93	1.50	409593	0.01	0.01	43.9	0.004
QK-17-009	93	94	1.00	409594	0.005	0.01	39.6	0.004
QK-17-009	94	94.75	0.75	409595	0.07	0.01	42.7	0.004
QK-17-009	94.75	95.5	0.75	409596	0.17	0.01	41.3	0.004
QK-17-009	95.5	97	1.50	409597	0.02	0.01	40.8	0.004

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-009	97	98.11	1.11	409598	0.005	0.01	42.7	0.004
QK-17-009	98.11	99	0.89	409599	0.01	0.01	77.9	0.008
QK-17-009	99	100	1.00	409601	0.01	0.01	42.9	0.004
QK-17-009	100	101	1.00	409602	0.005	0.01	73.7	0.007
QK-17-009	101	102	1.00	409603	0.02	0.01	66.4	0.007
QK-17-009	102	103	1.00	409604	0.03	0.01	82.5	0.008
QK-17-009	103	103.66	0.66	409605	0.02	0.01	66.1	0.007
QK-17-009	103.66	104.4	0.74	409606	0.01	0.01	28.6	0.003
QK-17-009	104.4	105	0.60	409607	0.05	0.01	22.5	0.002
QK-17-009	105	105.8	0.80	409608	0.01	0.02	38.5	0.004
QK-17-009	105.8	107.17	1.37	409609	0.005	0.01	71.5	0.007
QK-17-009	107.17	108.21	1.04	409611	0.1	0.00	1.7	0.000
QK-17-009	108.21	109	0.79	409612	0.01	0.01	67.1	0.007
QK-17-009	109	110	1.00	409613	0.005	0.01	80.8	0.008
QK-17-009	110	111	1.00	409614	0.005	0.01	78.1	0.008
QK-17-009	111	112	1.00	409615	0.01	0.01	75.2	0.008
QK-17-009	112	113	1.00	409616	0.005	0.01	76.7	0.008
QK-17-009	113	114	1.00	409617	0.01	0.01	82.4	0.008
QK-17-009	114	115	1.00	409618	0.005	0.01	72.8	0.007
QK-17-009	115	116	1.00	409619	0.005	0.01	67.1	0.007
QK-17-009	116	117	1.00	409621	0.005	0.01	67.5	0.007
QK-17-009	117	118	1.00	409622	0.005	0.01	70.5	0.007
QK-17-009	118	119	1.00	409623	0.005	0.01	74.1	0.007
QK-17-009	119	120	1.00	409624	0.01	0.01	51.2	0.005
QK-17-009	132.47	133.5	1.03	409625	0.08	0.00	1.5	0.000
QK-17-009	133.5	134.75	1.25	409626	0.1	0.00	3.4	0.000
QK-17-010	6.7	8	1.30	402467	0.005	0.02	50.2	0.005
QK-17-010	8	9	1.00	402468	0.005	0.02	30.5	0.003
QK-17-010	9	10	1.00	402469	0.005	0.01	41.1	0.004
QK-17-010	10	11	1.00	402471	0.005	0.00	47.4	0.005
QK-17-010	11	12	1.00	402472	0.005	0.00	55.3	0.006
QK-17-010	12	13	1.00	402473	0.01	0.00	41.8	0.004
QK-17-010	13	14	1.00	402474	0.005	0.01	47.3	0.005
QK-17-010	14	15	1.00	402475	0.005	0.00	43.5	0.004
QK-17-010	15	16	1.00	402476	0.005	0.02	39.6	0.004
QK-17-010	16	17	1.00	402477	0.01	0.03	47.7	0.005
QK-17-010	17	18	1.00	402478	0.005	0.01	27.3	0.003
QK-17-010	18	19	1.00	402479	0.06	0.01	75.9	0.008
QK-17-010	19	20	1.00	402481	0.01	0.01	41.5	0.004
QK-17-010	20	21	1.00	402482	0.06	0.02	44.1	0.004
QK-17-010	21	22	1.00	402483	0.005	0.01	29.8	0.003
QK-17-010	22	23	1.00	402484	0.005	0.01	30.4	0.003
QK-17-010	23	24	1.00	402485	0.005	0.01	37.2	0.004
QK-17-010	24	25	1.00	402486	0.005	0.01	32.7	0.003
QK-17-010	25	26	1.00	402487	0.005	0.01	23.1	0.002
QK-17-010	26	27	1.00	402488	0.005	0.01	35.8	0.004
QK-17-010	27	28	1.00	402489	0.005	0.05	32.9	0.003
QK-17-010	28	29.41	1.41	402491	0.04	0.07	35.8	0.004
QK-17-010	29.41	29.75	0.34	402492	1.85	0.64	51.2	0.005
QK-17-010	29.75	30.75	1.00	409527	0.03	0.04	43.7	0.004

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-010	30.75	31.8	1.05	402493	0.07	0.03	131	0.013
QK-17-010	31.8	32.42	0.62	402494	0.05	0.01	32.4	0.003
QK-17-010	32.42	33.18	0.76	402495	2.17	0.18	878	0.088
QK-17-010	33.18	34.24	1.06	402496	0.005	0.02	23.1	0.002
QK-17-010	34.24	35.44	1.20	402497	0.005	0.02	38.9	0.004
QK-17-010	35.44	36.57	1.13	402498	0.005	0.01	35.9	0.004
QK-17-010	36.57	36.98	0.41	402499	0.02	0.06	53.1	0.005
QK-17-010	36.98	38	1.02	409501	0.005	0.01	24.4	0.002
QK-17-010	38	39	1.00	409502	0.005	0.00	28.7	0.003
QK-17-010	39	40	1.00	409503	0.005	0.01	30.9	0.003
QK-17-010	40	41	1.00	409504	0.005	0.01	28.6	0.003
QK-17-010	41	42	1.00	409505	0.005	0.01	37.5	0.004
QK-17-010	42	43	1.00	409506	0.005	0.01	24.1	0.002
QK-17-010	43	44	1.00	409507	0.005	0.03	21.1	0.002
QK-17-010	44	45	1.00	409508	0.005	0.01	29.3	0.003
QK-17-010	45	46	1.00	409509	0.005	0.01	30.6	0.003
QK-17-010	46	47	1.00	409511	0.005	0.01	35.4	0.004
QK-17-010	47	47.35	0.35	409512	0.005	0.00	12.2	0.001
QK-17-010	47.35	48	0.65	409513	0.005	0.01	37.7	0.004
QK-17-010	48	49	1.00	409514	0.005	0.02	37.9	0.004
QK-17-010	49	50	1.00	409515	0.005	0.01	42.6	0.004
QK-17-010	50	51	1.00	409516	0.005	0.01	36.3	0.004
QK-17-010	51	52	1.00	409517	0.005	0.01	35.9	0.004
QK-17-010	52	53	1.00	409518	0.005	0.01	43.9	0.004
QK-17-010	53	54	1.00	409519	0.005	0.02	50.5	0.005
QK-17-010	57	57.5	0.50	409521	0.005	0.01	22.6	0.002
QK-17-010	59.4	59.75	0.35	409522	0.005	0.01	14.9	0.001
QK-17-010	65	66	1.00	409523	0.005	0.00	35.2	0.004
QK-17-010	73.68	74	0.32	409524	0.005	0.01	37.6	0.004
QK-17-010	75	75.88	0.88	409525	0.005	0.01	35.6	0.004
QK-17-010	75.88	76.22	0.34	409526	0.005	0.02	19.5	0.002
QK-17-011	3	4	1.00	409539	0.005	0.01	29.1	0.003
QK-17-011	4	5	1.00	409541	0.005	0.01	36.6	0.004
QK-17-011	5	6	1.00	409542	0.005	0.01	31.8	0.003
QK-17-011	6	7	1.00	409543	0.005	0.02	30.7	0.003
QK-17-011	7	8	1.00	409544	0.005	0.03	32.5	0.003
QK-17-011	8	9	1.00	409545	0.005	0.01	24.5	0.002
QK-17-011	9	10	1.00	409546	0.005	0.02	36	0.004
QK-17-011	10	11	1.00	409547	0.005	0.00	47.5	0.005
QK-17-011	11	12	1.00	409548	0.005	0.00	56.6	0.006
QK-17-011	12	12.5	0.50	409549	0.005	0.00	48.7	0.005
QK-17-011	12.5	13.2	0.70	409551	0.005	0.00	41.9	0.004
QK-17-011	13.2	14	0.80	409552	0.005	0.00	42.6	0.004
QK-17-011	14	15	1.00	409553	0.005	0.00	40.3	0.004
QK-17-011	15	16	1.00	409554	0.005	0.02	43.1	0.004
QK-17-011	16	17	1.00	409555	0.01	0.02	42.7	0.004
QK-17-011	17	18	1.00	409556	0.16	0.02	35.7	0.004
QK-17-011	18	19	1.00	409557	0.03	0.01	24.2	0.002
QK-17-011	19	19.4	0.40	409558	0.01	0.03	55.2	0.006
QK-17-011	19.4	20.35	0.95	409559	0.03	0.01	23.8	0.002

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-011	20.35	21	0.65	409561	0.16	0.07	70.1	0.007
QK-17-011	21	22.3	1.30	409562	0.005	0.01	27.1	0.003
QK-17-011	22.3	23.2	0.90	409563	0.005	0.00	15	0.002
QK-17-011	23.2	24	0.80	409564	0.005	0.01	39.3	0.004
QK-17-011	24	25	1.00	409565	0.02	0.02	43.7	0.004
QK-17-011	25	26	1.00	409566	0.005	0.01	34.2	0.003
QK-17-011	26	27	1.00	409567	0.005	0.01	35	0.004
QK-17-011	27	28	1.00	409568	0.14	0.02	97.2	0.010
QK-17-011	28	29.22	1.22	409569	0.03	0.02	52.5	0.005
QK-17-011	29.22	30	0.78	409571	0.39	0.39	283	0.028
QK-17-011	30	30.6	0.60	409572	0.68	0.22	836	0.084
QK-17-011	30.6	30.9	0.30	409573	0.06	0.11	89.8	0.009
QK-17-011	30.9	31.5	0.60	409574	3.35	0.57	1390	0.139
QK-17-011	31.5	32.28	0.78	409575	0.25	0.07	127	0.013
QK-17-011	32.28	33	0.72	409576	0.34	0.11	161	0.016
QK-17-011	33	33.36	0.36	409577	0.07	0.11	70.2	0.007
QK-17-011	33.36	34.57	1.21	409578	0.03	0.04	45.2	0.005
QK-17-011	34.57	35	0.43	409579	0.35	0.16	423	0.042
QK-17-011	35	36	1.00	409581	0.02	0.11	27.1	0.003
QK-17-011	36	37	1.00	409582	0.15	0.04	34.2	0.003
QK-17-011	37	38.3	1.30	409583	0.25	0.51	24.1	0.002
QK-17-011	38.3	39	0.70	409584	0.01	0.02	24.1	0.002
QK-17-011	39	40.3	1.30	409585	0.01	0.02	27.4	0.003
QK-17-011	48	49	1.00	409586	0.005	0.00	26.6	0.003
QK-17-011	51	51.34	0.34	409587	0.005	0.03	48.6	0.005
QK-17-011	54.72	55.09	0.37	409588	0.005	0.01	31.5	0.003
QK-17-011	62	63	1.00	409589	0.005	0.01	36.8	0.004
QK-17-012	11.2	11.72	0.52	409628	0.005	0.00	10	0.001
QK-17-012	13.44	13.8	0.36	409629	0.005	0.00	11.3	0.001
QK-17-012	14.44	14.74	0.30	409631	0.005	0.00	4.7	0.000
QK-17-012	15.92	16.24	0.32	409632	0.005	0.00	10.9	0.001
QK-17-012	20.12	20.6	0.48	409633	0.005	0.00	28.3	0.003
QK-17-012	36.6	36.9	0.30	409634	0.01	0.05	50.1	0.005
QK-17-012	38	39	1.00	409635	0.005	0.01	29.1	0.003
QK-17-012	41	42	1.00	409636	0.05	0.05	30.3	0.003
QK-17-012	42	42.55	0.55	409637	0.11	0.02	70.1	0.007
QK-17-012	50.53	51.44	0.91	409638	0.005	0.01	24.7	0.002
QK-17-012	52	53	1.00	409639	0.005	0.01	27.6	0.003
QK-17-012	54	55	1.00	409641	0.005	0.01	36.4	0.004
QK-17-012	55	56	1.00	409642	0.01	0.00	14.5	0.001
QK-17-012	56	56.37	0.37	409643	0.1	0.01	35.8	0.004
QK-17-012	64	65.18	1.18	410681	0.005	0.00	4.6	0.000
QK-17-012	65.18	65.53	0.35	409644	0.005	0.00	6.3	0.001
QK-17-012	65.53	66.5	0.97	410682	0.005	0.01	19.8	0.002
QK-17-012	66.5	66.8	0.30	409645	0.005	0.02	29.8	0.003
QK-17-012	66.8	68.2	1.40	410683	0.005	0.02	28.9	0.003
QK-17-012	68.2	69	0.80	409646	0.02	0.13	83.1	0.008
QK-17-012	69	69.98	0.98	409647	0.1	0.03	103	0.010
QK-17-012	69.98	71	1.02	409648	0.005	0.03	39.5	0.004
QK-17-012	71	72	1.00	409649	0.005	0.01	20	0.002

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-012	72	72.8	0.80	409651	0.01	0.04	18.6	0.002
QK-17-012	72.8	73.4	0.60	409652	1.68	0.56	95.6	0.010
QK-17-012	73.4	73.65	0.25	409653	0.07	0.04	53.9	0.005
QK-17-012	73.65	74.41	0.76	409654	0.64	0.27	211	0.021
QK-17-012	74.41	75.16	0.75	409655	1.68	1.56	300	0.030
QK-17-012	75.16	75.8	0.64	410684	0.02	0.02	30	0.003
QK-17-012	80.36	81	0.64	409656	0.03	0.03	25.2	0.003
QK-17-012	81	81.92	0.92	409657	0.02	0.04	28.8	0.003
QK-17-012	81.92	82.41	0.49	409658	1.48	0.05	40.8	0.004
QK-17-012	82.41	83.2	0.79	409659	0.08	0.05	21.7	0.002
QK-17-012	83.2	83.56	0.36	409661	0.005	0.07	36.6	0.004
QK-17-012	84.3	85.3	1.00	409662	0.005	0.01	47.7	0.005
QK-17-012	85.3	86.44	1.14	409663	0.005	0.01	60	0.006
QK-17-013	9	10	1.00	409664	0.005	0.01	27.1	0.003
QK-17-013	19.44	19.74	0.30	409665	0.005	0.00	17.9	0.002
QK-17-013	20.2	20.5	0.30	409666	0.05	0.00	102	0.010
QK-17-013	24	25	1.00	409667	0.005	0.01	40.8	0.004
QK-17-013	28.5	29.01	0.51	409668	0.005	0.00	14.2	0.001
QK-17-013	35	35.3	0.30	409669	0.005	0.01	24.7	0.002
QK-17-013	37.14	37.48	0.34	409671	0.005	0.01	23.3	0.002
QK-17-013	42	43	1.00	409672	0.005	0.00	26.1	0.003
QK-17-013	46.47	46.95	0.48	409673	0.05	0.05	108	0.011
QK-17-013	46.95	48	1.05	409674	0.005	0.01	20.7	0.002
QK-17-013	48	49	1.00	409675	0.005	0.02	23.8	0.002
QK-17-013	49	50	1.00	409676	0.005	0.01	24	0.002
QK-17-013	50	51	1.00	409677	0.03	0.02	25.6	0.003
QK-17-013	51	52	1.00	409678	0.03	0.01	22	0.002
QK-17-013	52	53	1.00	409679	0.15	0.01	21.1	0.002
QK-17-013	53	54	1.00	409681	0.005	0.01	28.4	0.003
QK-17-013	54	55	1.00	409682	0.005	0.01	31.8	0.003
QK-17-013	55	55.35	0.35	409683	0.86	0.27	133	0.013
QK-17-013	56.27	56.87	0.60	409684	0.005	0.00	24.1	0.002
QK-17-013	60	61	1.00	409685	0.005	0.02	28.6	0.003
QK-17-013	62.76	63.06	0.30	409686	0.92	0.32	2060	0.206
QK-17-013	64.35	65.11	0.76	409687	0.05	0.06	78	0.008
QK-17-013	65.11	65.65	0.54	409688	0.11	0.10	48	0.005
QK-17-013	66.5	68	1.50	409689	0.005	0.02	36.9	0.004
QK-17-013	69.35	69.65	0.30	409691	2	2.19	116	0.012
QK-17-013	69.65	70	0.35	409693	0.07	0.08	99.7	0.010
QK-17-013	76.61	76.91	0.30	409694	0.005	0.02	49.8	0.005
QK-17-013	80	81	1.00	409695	0.005	0.01	64.3	0.006
QK-17-014	22.88	24	1.12	409733	0.01	0.02	34.5	0.003
QK-17-014	24	25	1.00	409734	0.005	0.01	38.1	0.004
QK-17-014	25	26	1.00	409735	0.01	0.01	44.7	0.004
QK-17-014	26	27	1.00	409736	0.005	0.00	32.4	0.003
QK-17-014	27	28	1.00	409737	0.005	0.01	37.4	0.004
QK-17-014	28	29	1.00	409738	0.005	0.01	42.2	0.004
QK-17-014	29	30	1.00	409739	0.005	0.01	36.2	0.004
QK-17-014	30	31	1.00	409741	0.01	0.01	40.6	0.004
QK-17-014	31	32	1.00	409742	0.02	0.01	38	0.004

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-014	32	32.73	0.73	409743	0.005	0.01	36.7	0.004
QK-17-014	32.73	33.1	0.37	409744	0.02	0.01	18.3	0.002
QK-17-014	33.1	34	0.90	409745	0.01	0.01	6	0.001
QK-17-014	34	35	1.00	409746	0.005	0.01	3.8	0.000
QK-17-014	35	36	1.00	409747	0.01	0.01	4.7	0.000
QK-17-014	36	37.05	1.05	409748	0.02	0.00	4.4	0.000
QK-17-014	37.05	38	0.95	409749	0.02	0.01	1.6	0.000
QK-17-014	38	39	1.00	409751	0.04	0.01	1.5	0.000
QK-17-014	39	40	1.00	409752	0.02	0.01	1.1	0.000
QK-17-014	40	41	1.00	409753	0.01	0.01	0.9	0.000
QK-17-014	41	42	1.00	409754	0.02	0.01	0.7	0.000
QK-17-014	42	43	1.00	409755	0.02	0.01	1	0.000
QK-17-014	43	44	1.00	409756	0.02	0.01	0.9	0.000
QK-17-014	44	45	1.00	409757	0.06	0.01	1.5	0.000
QK-17-014	45	46	1.00	409758	0.02	0.01	2.2	0.000
QK-17-014	46	47	1.00	409759	0.06	0.01	1.9	0.000
QK-17-014	47	48	1.00	409761	0.06	0.01	0.7	0.000
QK-17-014	48	49	1.00	409762	0.06	0.01	1.2	0.000
QK-17-014	49	50	1.00	409763	0.06	0.00	0.8	0.000
QK-17-014	50	51	1.00	409764	0.09	0.01	1	0.000
QK-17-014	51	52	1.00	409765	0.08	0.01	1.9	0.000
QK-17-014	52	53	1.00	409766	0.08	0.00	1.1	0.000
QK-17-014	53	54	1.00	409767	0.17	0.01	0.9	0.000
QK-17-014	54	55	1.00	409768	0.03	0.01	0.9	0.000
QK-17-014	55	56	1.00	409769	0.04	0.00	1.2	0.000
QK-17-014	56	57	1.00	409771	0.08	0.00	3.1	0.000
QK-17-014	57	58	1.00	409772	0.06	0.01	1.1	0.000
QK-17-014	58	59	1.00	409773	0.07	0.01	0.9	0.000
QK-17-014	59	60	1.00	409774	0.04	0.00	0.6	0.000
QK-17-014	60	60.5	0.50	409775	0.07	0.01	0.6	0.000
QK-17-014	60.5	61.13	0.63	409776	0.08	0.00	0.7	0.000
QK-17-014	61.13	61.56	0.43	409777	0.02	0.01	0.7	0.000
QK-17-014	61.56	62	0.44	409778	0.24	0.01	0.6	0.000
QK-17-014	62	63	1.00	409779	0.07	0.01	1.7	0.000
QK-17-014	63	64	1.00	409781	0.03	0.00	1.2	0.000
QK-17-014	64	65.17	1.17	409782	0.02	0.00	0.9	0.000
QK-17-014	65.17	66	0.83	409783	0.03	0.01	36.6	0.004
QK-17-014	66	66.46	0.46	409784	0.04	0.01	40.3	0.004
QK-17-014	66.46	66.94	0.48	409785	0.03	0.01	34	0.003
QK-17-014	66.94	68	1.06	409786	0.03	0.01	37.4	0.004
QK-17-014	68	69	1.00	409787	1.03	0.01	39.4	0.004
QK-17-014	72	72.99	0.99	409788	0.005	0.01	37.2	0.004
QK-17-014	75	76	1.00	409789	0.005	0.01	37.4	0.004
QK-17-014	78	78.68	0.68	409791	0.03	0.01	32.8	0.003
QK-17-014	87.43	88.1	0.67	409792	0.005	0.01	29.9	0.003
QK-17-014	88.6	89.2	0.60	409793	0.02	0.01	50	0.005
QK-17-014	89.2	90	0.80	409794	0.005	0.01	33.8	0.003
QK-17-014	90	91	1.00	409795	0.01	0.01	36.5	0.004
QK-17-014	91	91.34	0.34	409796	0.005	0.00	28.5	0.003
QK-17-014	95.18	95.58	0.40	409797	0.005	0.00	20.5	0.002

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-014	95.58	96	0.42	409798	0.005	0.00	36.6	0.004
QK-17-014	97	98	1.00	409799	0.01	0.03	45.4	0.005
QK-17-014	101	101.3	0.30	409801	0.005	0.00	27.2	0.003
QK-17-014	105	106	1.00	409802	0.01	0.00	36.4	0.004
QK-17-014	109.8	110.5	0.70	409803	0.005	0.00	30	0.003
QK-17-014	113.44	113.82	0.38	409804	0.005	0.00	32.9	0.003
QK-17-014	116	117	1.00	409805	0.005	0.01	39.4	0.004
QK-17-015	14	14.3	0.30	409696	0.005	0.03	33.5	0.003
QK-17-015	16.27	16.94	0.67	409697	0.005	0.02	30.6	0.003
QK-17-015	21	21.8	0.80	409698	0.005	0.02	44.8	0.004
QK-17-015	24.53	25	0.47	409699	0.005	0.01	32.3	0.003
QK-17-015	26.5	27	0.50	409701	0.005	0.02	38.4	0.004
QK-17-015	28.98	29.28	0.30	409702	0.005	0.02	42.8	0.004
QK-17-015	32	32.5	0.50	409703	0.03	0.02	35.8	0.004
QK-17-015	36	36.3	0.30	409704	0.005	0.02	55	0.006
QK-17-015	38	39	1.00	409705	0.005	0.02	54.7	0.005
QK-17-015	39	40	1.00	409706	0.03	0.02	35.7	0.004
QK-17-015	41.56	42	0.44	409707	0.005	0.01	60.4	0.006
QK-17-015	45.92	46.22	0.30	409708	0.005	0.01	25.4	0.003
QK-17-015	52.29	52.66	0.37	409709	0.005	0.01	29.5	0.003
QK-17-015	54	55	1.00	409711	0.005	0.00	32.7	0.003
QK-17-015	62.5	63.4	0.90	409712	0.005	0.00	19.4	0.002
QK-17-015	65.83	66.24	0.41	409713	0.005	0.02	25.9	0.003
QK-17-015	66.24	67.24	1.00	409714	0.005	0.00	22.2	0.002
QK-17-015	67.24	67.82	0.58	409715	0.005	0.16	33.4	0.003
QK-17-015	67.82	68.8	0.98	409716	0.005	0.00	17.6	0.002
QK-17-015	68.8	69.5	0.70	409717	0.005	0.06	35.8	0.004
QK-17-015	69.5	70.3	0.80	409718	0.005	0.01	22.5	0.002
QK-17-015	72	73	1.00	409719	0.005	0.01	46.3	0.005
QK-17-015	76	76.7	0.70	409721	0.005	0.00	20.9	0.002
QK-17-015	76.7	77.42	0.72	409722	0.03	0.21	75	0.008
QK-17-015	77.42	77.92	0.50	409723	0.04	0.00	22.4	0.002
QK-17-015	77.92	78.5	0.58	409724	0.01	0.03	19.8	0.002
QK-17-015	78.52	79.15	0.63	409725	0.005	0.01	35.3	0.004
QK-17-015	79.15	79.75	0.60	409726	0.005	0.05	33.1	0.003
QK-17-015	84.58	84.92	0.34	409727	0.005	0.01	33.2	0.003
QK-17-015	89	90	1.00	409728	0.005	0.02	30.5	0.003
QK-17-015	90	91	1.00	409729	0.005	0.02	30.9	0.003
QK-17-015	91	92	1.00	409731	0.005	0.01	31.4	0.003
QK-17-015	92	93	1.00	409732	0.005	0.00	29.8	0.003
QK-17-016	8	9	1.00	409806	0.005	0.00	18.3	0.002
QK-17-016	11	12	1.00	409807	0.005	0.02	29.3	0.003
QK-17-016	15.51	16	0.49	409808	0.005	0.05	28	0.003
QK-17-016	16	16.81	0.81	409809	0.005	0.02	26.8	0.003
QK-17-016	18	18.99	0.99	409811	0.005	0.01	33.6	0.003
QK-17-016	18.99	19.34	0.35	409812	0.005	0.04	105	0.011
QK-17-016	19.34	20	0.66	409813	0.005	0.03	33.7	0.003
QK-17-016	25	26	1.00	409814	0.005	0.01	31.4	0.003
QK-17-016	26	27	1.00	409815	0.02	0.01	30.1	0.003
QK-17-016	33	34	1.00	409816	0.005	0.01	35.3	0.004

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-016	38	38.38	0.38	409817	0.005	0.02	38.7	0.004
QK-17-016	39	39.69	0.69	409818	0.005	0.01	32.6	0.003
QK-17-016	48	49	1.00	409819	0.005	0.03	46.9	0.005
QK-17-016	55	56.1	1.10	409821	0.005	0.02	32.5	0.003
QK-17-016	61.47	62.56	1.09	409822	0.005	0.06	46.9	0.005
QK-17-016	67	68	1.00	409823	0.05	0.12	1280	0.128
QK-17-017	10	11	1.00	409875	0.02	0.01	17.9	0.002
QK-17-017	11	12	1.00	409876	0.005	0.01	17	0.002
QK-17-017	12	13	1.00	409877	0.03	0.00	N/A	N/A
QK-17-017	13	14	1.00	409878	0.005	0.00	14.9	0.001
QK-17-017	14	15	1.00	409879	0.005	0.00	14.4	0.001
QK-17-017	15	15.71	0.71	409881	0.02	0.01	16.5	0.002
QK-17-017	19	20	1.00	409882	0.03	0.01	27	0.003
QK-17-017	21	22	1.00	409883	0.35	0.01	20.4	0.002
QK-17-017	22	23	1.00	409884	0.19	0.02	27.7	0.003
QK-17-017	23	24	1.00	409885	0.06	0.01	25.4	0.003
QK-17-017	24	25	1.00	409886	0.02	0.02	27.9	0.003
QK-17-017	28	29	1.00	409887	0.005	0.02	29.6	0.003
QK-17-017	29	30.1	1.10	409888	0.02	0.00	27.8	0.003
QK-17-017	30.1	31.28	1.18	409889	0.05	0.01	25.1	0.003
QK-17-017	32.6	34	1.40	409891	0.02	0.01	25.4	0.003
QK-17-017	34	35	1.00	409892	0.01	0.01	24.5	0.002
QK-17-017	35	36	1.00	409893	0.01	0.02	26.7	0.003
QK-17-017	36	37	1.00	409894	0.005	0.01	21.1	0.002
QK-17-017	37	38	1.00	409895	0.005	0.01	19	0.002
QK-17-017	38	39	1.00	409896	0.005	0.01	22.9	0.002
QK-17-017	39	40	1.00	409897	0.005	0.01	21.2	0.002
QK-17-017	40	41	1.00	409898	0.005	0.01	22.9	0.002
QK-17-017	41	42	1.00	409899	0.01	0.01	18.7	0.002
QK-17-017	42	43	1.00	409901	0.005	0.01	21.1	0.002
QK-17-017	43	44	1.00	409902	0.03	0.00	3	0.000
QK-17-017	44	45	1.00	409903	0.22	0.00	3.2	0.000
QK-17-017	45	46	1.00	409904	0.02	0.00	15	0.002
QK-17-017	46	47	1.00	409905	0.005	0.01	19.4	0.002
QK-17-017	47	48	1.00	409906	0.005	0.01	19.4	0.002
QK-17-017	48	49	1.00	409907	0.05	0.01	11.5	0.001
QK-17-017	49	50	1.00	409908	0.09	0.01	6.2	0.001
QK-17-017	50	51.2	1.20	409909	0.08	0.01	5.7	0.001
QK-17-017	51.2	52	0.80	409911	0.11	0.02	5.7	0.001
QK-17-017	52	53	1.00	409912	0.11	0.01	5.5	0.001
QK-17-017	53	54	1.00	409913	0.1	0.01	5.4	0.001
QK-17-017	54	55	1.00	409914	0.02	0.00	5.4	0.001
QK-17-017	55	56	1.00	409915	0.02	0.00	9.7	0.001
QK-17-017	56	57	1.00	409916	0.04	0.01	10	0.001
QK-17-017	57	58	1.00	409917	0.02	0.00	11.1	0.001
QK-17-017	58	59	1.00	409918	0.02	0.00	10.6	0.001
QK-17-017	59	60	1.00	409919	0.005	0.00	10.8	0.001
QK-17-017	60	61	1.00	409921	0.03	0.00	12	0.001
QK-17-017	61	62	1.00	409922	0.02	0.00	10.3	0.001
QK-17-017	62	63.18	1.18	409923	0.005	0.00	11.2	0.001

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-017	63.18	64	0.82	409924	0.03	0.01	1.4	0.000
QK-17-017	64	65	1.00	409925	0.07	0.01	1.1	0.000
QK-17-017	65	66	1.00	409926	0.02	0.00	N/A	N/A
QK-17-017	66	67	1.00	409927	0.01	0.02	0.9	0.000
QK-17-017	67	68	1.00	409928	0.05	0.01	0.7	0.000
QK-17-017	68	69	1.00	409929	0.02	0.01	0.8	0.000
QK-17-017	69	69.81	0.81	409931	0.02	0.01	1.2	0.000
QK-17-017	69.81	71	1.19	409932	0.01	0.00	6.2	0.001
QK-17-017	71	72	1.00	409933	0.02	0.01	0.9	0.000
QK-17-017	72	73	1.00	409934	0.02	0.00	N/A	N/A
QK-17-017	73	74	1.00	409935	0.14	0.01	1.5	0.000
QK-17-017	74	75.05	1.05	409936	0.03	0.01	1.3	0.000
QK-17-017	75.05	76	0.95	409937	0.005	0.02	23.2	0.002
QK-17-017	76	77	1.00	409938	0.02	0.03	33.6	0.003
QK-17-017	77	78	1.00	409939	0.005	0.01	28.2	0.003
QK-17-017	78	79	1.00	409941	0.005	0.02	33.7	0.003
QK-17-017	79	79.56	0.56	409942	0.02	0.02	24.2	0.002
QK-17-017	79.56	81	1.44	409943	0.005	0.03	32.9	0.003
QK-17-017	81	82	1.00	409944	0.01	0.03	37	0.004
QK-17-017	82	83	1.00	409945	0.01	0.03	35.8	0.004
QK-17-017	83	84	1.00	409946	0.005	0.02	35.3	0.004
QK-17-017	84	85	1.00	409947	0.16	0.02	34.7	0.003
QK-17-017	85	85.3	0.30	409948	0.14	0.01	33.4	0.003
QK-17-017	85.3	86	0.70	409949	0.005	0.01	33.5	0.003
QK-17-017	86	87	1.00	409951	0.005	0.01	35.1	0.004
QK-17-017	91.86	93	1.14	409952	0.01	0.01	33.2	0.003
QK-17-017	96	97	1.00	409953	0.01	0.01	36	0.004
QK-17-017	101	102	1.00	409954	0.005	0.02	33.7	0.003
QK-17-017	104	105	1.00	409955	0.02	0.03	36.9	0.004
QK-17-017	116	117	1.00	409956	0.005	0.01	36.9	0.004
QK-17-017	120	121.15	1.15	409957	0.05	0.01	11	0.001
QK-17-017	131	132	1.00	409958	0.03	0.02	35.7	0.004
QK-17-017	135	136	1.00	409959	0.07	0.02	37.3	0.004
QK-17-017	142	143	1.00	409961	0.05	0.01	23.6	0.002
QK-17-017	152	153	1.00	409962	0.01	0.01	40.9	0.004
QK-17-017	154	155.29	1.29	409963	0.005	0.01	37	0.004
QK-17-018	8.15	9	0.85	409824	0.005	0.01	22.7	0.002
QK-17-018	9	9.6	0.60	409825	0.005	0.01	75.5	0.008
QK-17-018	9.6	11	1.40	409826	0.005	0.00	30.7	0.003
QK-17-018	11	11.71	0.71	409827	0.005	0.00	32.1	0.003
QK-17-018	11.71	12	0.29	409828	0.005	0.00	59.4	0.006
QK-17-018	12	13	1.00	409829	0.005	0.01	59	0.006
QK-17-018	13	14	1.00	409831	0.005	0.01	72.9	0.007
QK-17-018	14	15	1.00	409832	0.005	0.00	53	0.005
QK-17-018	15	16	1.00	409833	0.005	0.00	78.5	0.008
QK-17-018	16	17	1.00	409834	0.005	0.00	57.1	0.006
QK-17-018	17	18	1.00	409835	0.005	0.01	79.5	0.008
QK-17-018	18	19	1.00	409836	0.005	0.01	68.4	0.007
QK-17-018	19	20	1.00	409837	0.005	0.01	72.9	0.007
QK-17-018	20	21	1.00	409838	0.08	0.01	107	0.011

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-018	21	22	1.00	409839	0.01	0.01	59.3	0.006
QK-17-018	22	22.8	0.80	409841	0.005	0.01	75.4	0.008
QK-17-018	22.8	24	1.20	409842	0.005	0.00	26.9	0.003
QK-17-018	24	25.5	1.50	409843	0.005	0.00	33.6	0.003
QK-17-018	25.5	26.8	1.30	409844	0.005	0.00	40.5	0.004
QK-17-018	26.8	28	1.20	409845	0.005	0.00	72.4	0.007
QK-17-018	28	29	1.00	409846	0.005	0.02	42.3	0.004
QK-17-018	29	30	1.00	409847	0.005	0.01	35.1	0.004
QK-17-018	34	35	1.00	409848	0.04	0.05	50.9	0.005
QK-17-018	36.61	37.2	0.59	409849	0.87	0.18	55.4	0.006
QK-17-018	38.55	39.25	0.70	409851	3.02	0.15	49.9	0.005
QK-17-018	44	45	1.00	409852	0.005	0.00	30.6	0.003
QK-17-018	46	47	1.00	409853	0.02	0.02	29.3	0.003
QK-17-018	50	51	1.00	409854	0.05	0.05	27.4	0.003
QK-17-018	53	54	1.00	409855	0.05	0.03	31.2	0.003
QK-17-018	56	57	1.00	409856	0.005	0.01	25.6	0.003
QK-17-018	61	62	1.00	409857	0.005	0.03	35.8	0.004
QK-17-018	65	66	1.00	409858	0.005	0.01	31.4	0.003
QK-17-018	69	70	1.00	409859	0.005	0.01	30.2	0.003
QK-17-018	74.4	75.5	1.10	409861	0.005	0.02	31.1	0.003
QK-17-018	77.22	78.22	1.00	409862	0.005	0.01	32	0.003
QK-17-018	82	83	1.00	409863	0.02	0.06	41.8	0.004
QK-17-018	83.4	84.7	1.30	409864	1.9	0.01	31.1	0.003
QK-17-018	85	86	1.00	409865	0.005	0.00	32.2	0.003
QK-17-018	86	87	1.00	409866	0.005	0.01	41	0.004
QK-17-018	95	96	1.00	409867	0.005	0.01	28.6	0.003
QK-17-018	99.7	100.6	0.90	409868	0.01	0.01	31.7	0.003
QK-17-018	108	109	1.00	409869	0.005	0.00	38	0.004
QK-17-018	113	114	1.00	409871	0.005	0.01	40.5	0.004
QK-17-018	119	119	0.00	409872	0.005	0.00	42.6	0.004
QK-17-018	129	130	1.00	409873	0.005	0.01	43.1	0.004
QK-17-018	136	137	1.00	409874	0.01	0.01	34.9	0.003
QK-17-019	5	6	1.00	409964	0.005	0.01	23.7	0.002
QK-17-019	6	7	1.00	409965	0.005	0.00	18.1	0.002
QK-17-019	7	8	1.00	409966	0.005	0.01	16.8	0.002
QK-17-019	8	9	1.00	409967	0.005	0.01	28.7	0.003
QK-17-019	9	10	1.00	409968	0.005	0.00	21.7	0.002
QK-17-019	10	11	1.00	409969	0.005	0.01	22.4	0.002
QK-17-019	11	12	1.00	409971	0.005	0.01	25.5	0.003
QK-17-019	12	13	1.00	409972	0.005	0.01	24.8	0.002
QK-17-019	13	14	1.00	409973	0.005	0.01	29.5	0.003
QK-17-019	14	15	1.00	409974	0.02	0.01	34.7	0.003
QK-17-019	15	16	1.00	409975	0.005	0.02	25.8	0.003
QK-17-019	16	17	1.00	409976	0.005	0.02	24.8	0.002
QK-17-019	17	18	1.00	409977	0.005	0.01	25.3	0.003
QK-17-019	18	19	1.00	409978	0.005	0.00	N/A	N/A
QK-17-019	19	20	1.00	409979	0.005	0.00	25.6	0.003
QK-17-019	20	21	1.00	409981	0.005	0.01	34.2	0.003
QK-17-019	21	22	1.00	409982	0.005	0.01	25.3	0.003
QK-17-019	22	23	1.00	409983	0.005	0.01	22.3	0.002

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-019	23	24	1.00	409984	0.04	0.01	26.7	0.003
QK-17-019	24	25	1.00	409985	0.02	0.01	22.8	0.002
QK-17-019	25	26	1.00	409986	0.005	0.01	22.4	0.002
QK-17-019	26	27	1.00	409987	0.005	0.01	27.6	0.003
QK-17-019	27	28	1.00	409988	0.005	0.01	24.2	0.002
QK-17-019	28	29	1.00	409989	0.005	0.01	25.6	0.003
QK-17-019	29	30	1.00	409991	0.01	0.01	22.3	0.002
QK-17-019	30	31	1.00	409992	0.005	0.00	20.8	0.002
QK-17-019	31	32	1.00	409993	0.01	0.01	21.5	0.002
QK-17-019	32	33	1.00	409994	0.005	0.01	20.1	0.002
QK-17-019	33	34	1.00	409995	0.01	0.01	26.1	0.003
QK-17-019	34	35	1.00	409996	0.02	0.01	24.1	0.002
QK-17-019	35	36	1.00	409997	0.03	0.00	24.4	0.002
QK-17-019	36	37	1.00	409998	0.02	0.01	19.8	0.002
QK-17-019	37	38	1.00	409999	0.005	0.00	N/A	N/A
QK-17-019	38	39	1.00	410001	0.01	0.01	22.4	0.002
QK-17-019	39	39.67	0.67	410002	0.005	0.00	33.1	0.003
QK-17-019	39.67	41	1.33	410003	0.005	0.01	46.2	0.005
QK-17-019	41	42	1.00	410004	0.005	0.01	43.7	0.004
QK-17-019	42	43	1.00	410005	0.005	0.01	32.1	0.003
QK-17-019	43	44	1.00	410006	0.005	0.02	22.3	0.002
QK-17-019	44	45	1.00	410007	0.005	0.01	26.6	0.003
QK-17-019	45	45.97	0.97	410008	0.005	0.01	22	0.002
QK-17-019	45.97	46.27	0.30	410009	0.83	0.00	17.1	0.002
QK-17-019	46.27	47	0.73	410011	0.005	0.00	16.4	0.002
QK-17-019	47	48	1.00	410012	0.01	0.01	44	0.004
QK-17-019	48	49	1.00	410013	0.01	0.01	33.8	0.003
QK-17-019	49	50	1.00	410014	0.005	0.01	23.9	0.002
QK-17-019	50	51	1.00	410015	0.005	0.00	28.2	0.003
QK-17-019	51	52	1.00	410016	0.005	0.01	20.6	0.002
QK-17-019	52	53	1.00	410017	0.005	0.01	18.8	0.002
QK-17-019	53	54	1.00	410018	0.005	0.01	45.7	0.005
QK-17-019	54	55	1.00	410019	0.005	0.01	51.1	0.005
QK-17-019	55	56	1.00	410021	0.005	0.00	30.5	0.003
QK-17-019	56	57	1.00	410022	0.005	0.01	45.2	0.005
QK-17-019	57	58	1.00	410023	0.005	0.02	55	0.006
QK-17-019	58	58.6	0.60	410024	0.02	0.01	38.4	0.004
QK-17-019	58.6	58.9	0.30	410025	0.02	0.01	28.1	0.003
QK-17-019	58.9	60	1.10	410026	0.02	0.02	66.1	0.007
QK-17-019	60	61	1.00	410027	0.26	0.11	77.6	0.008
QK-17-019	61	62	1.00	410028	0.03	0.04	44.9	0.004
QK-17-019	62	63	1.00	410029	0.05	0.04	55.2	0.006
QK-17-019	63	64	1.00	410031	0.02	0.03	54.1	0.005
QK-17-019	64	65	1.00	410032	0.15	0.04	52.4	0.005
QK-17-019	65	66	1.00	410033	0.005	0.02	58.3	0.006
QK-17-019	66	67	1.00	410034	0.005	0.02	75.7	0.008
QK-17-019	67	68	1.00	410035	0.005	0.01	55.6	0.006
QK-17-019	68	68.6	0.60	410036	0.005	0.01	32.7	0.003
QK-17-019	68.6	69.2	0.60	410037	0.005	0.00	33.9	0.003
QK-17-019	69.2	70	0.80	410038	0.005	0.02	66.4	0.007

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-019	70	71	1.00	410039	0.01	0.02	72.9	0.007
QK-17-019	71	72.1	1.10	410041	0.45	0.01	48.6	0.005
QK-17-019	72.1	73	0.90	410042	0.005	0.01	36.2	0.004
QK-17-019	73	74	1.00	410043	0.005	0.00	31.2	0.003
QK-17-019	79	80	1.00	410044	0.02	0.01	64.9	0.006
QK-17-019	80	81	1.00	410045	0.01	0.01	60.2	0.006
QK-17-019	84.47	84.8	0.33	410046	0.05	0.10	215	0.022
QK-17-019	84.8	85.8	1.00	410047	0.02	0.09	60.8	0.006
QK-17-019	85.8	86.35	0.55	410048	0.005	0.00	38.4	0.004
QK-17-019	86.35	87	0.65	410049	0.05	0.50	113	0.011
QK-17-019	87	88	1.00	410051	0.08	0.06	53.7	0.005
QK-17-019	88	89	1.00	410052	0.16	0.03	118	0.012
QK-17-019	89	90	1.00	410053	0.01	0.03	52.3	0.005
QK-17-019	93	94	1.00	410054	0.03	0.09	69.1	0.007
QK-17-019	94	95	1.00	410055	1.05	0.14	46.5	0.005
QK-17-019	100	101	1.00	410056	0.005	0.01	26.9	0.003
QK-17-019	107	108	1.00	410057	0.005	0.00	24.5	0.002
QK-17-019	114	115	1.00	410058	0.005	0.01	29.1	0.003
QK-17-019	120.47	121	0.53	410059	0.03	0.00	30.6	0.003
QK-17-019	125	126	1.00	410061	0.005	0.01	38.3	0.004
QK-17-019	130	131	1.00	410062	0.005	0.01	25.4	0.003
QK-17-019	137	138	1.00	410063	0.02	0.01	24	0.002
QK-17-019	138	139	1.00	410064	0.29	0.01	27.6	0.003
QK-17-019	150	151	1.00	410065	0.005	0.00	39.5	0.004
QK-17-019	156.6	158.1	1.50	410066	0.005	0.01	41.5	0.004
QK-17-019	164	165	1.00	410067	0.01	0.00	40.1	0.004
QK-17-019	167.5	168.2	0.70	410068	0.04	0.00	31.3	0.003
QK-17-019	176	177	1.00	410069	0.02	0.01	31.7	0.003
QK-17-019	186	187.1	1.10	410071	0.005	0.01	33.7	0.003
QK-17-020	8	9	1.00	410072	0.005	0.00	4.2	0.000
QK-17-020	9	10	1.00	410073	0.005	0.00	4.5	0.000
QK-17-020	16	17	1.00	410074	0.005	0.00	4.2	0.000
QK-17-020	18	19	1.00	410075	0.005	0.00	5.2	0.001
QK-17-020	24	25	1.00	410076	0.005	0.00	4.9	0.000
QK-17-020	29	30	1.00	410077	0.02	0.00	4.4	0.000
QK-17-020	32	33	1.00	410078	0.005	0.00	4.1	0.000
QK-17-020	33	34	1.00	410079	0.005	0.00	4	0.000
QK-17-020	37	38	1.00	410081	0.005	0.00	5.7	0.001
QK-17-020	38	39	1.00	410082	0.005	0.00	4.7	0.000
QK-17-020	41	42	1.00	410083	0.005	0.00	5.2	0.001
QK-17-020	46	47	1.00	410084	0.005	0.00	5	0.001
QK-17-020	47	48	1.00	410085	0.005	0.00	4.3	0.000
QK-17-020	48	49	1.00	410086	0.005	0.00	4.2	0.000
QK-17-020	49	50	1.00	410087	0.005	0.00	4.4	0.000
QK-17-020	50	51	1.00	410088	0.005	0.00	4.2	0.000
QK-17-020	51	52	1.00	410089	0.005	0.00	4.6	0.000
QK-17-020	52	53	1.00	410091	0.005	0.00	4.3	0.000
QK-17-020	53	54	1.00	410092	0.005	0.00	3.7	0.000
QK-17-020	54	55	1.00	410093	0.005	0.00	4.1	0.000
QK-17-020	55	55.5	0.50	410094	0.1	0.00	3.9	0.000

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-020	55.5	56	0.50	410095	0.15	0.00	3.6	0.000
QK-17-020	56	57	1.00	410096	0.03	0.00	4.1	0.000
QK-17-020	57	58	1.00	410097	0.005	0.00	4.5	0.000
QK-17-020	58	59	1.00	410098	0.005	0.00	4.7	0.000
QK-17-020	59	60	1.00	410099	0.005	0.00	5	0.001
QK-17-020	60	61	1.00	410101	0.005	0.00	4.4	0.000
QK-17-020	61	62	1.00	410102	0.005	0.00	4.1	0.000
QK-17-020	62	63	1.00	410103	0.005	0.00	4.6	0.000
QK-17-020	63	64	1.00	410104	0.005	0.00	5.1	0.001
QK-17-020	64	65	1.00	410105	0.03	0.00	4.8	0.000
QK-17-020	65	66	1.00	410106	0.01	0.00	4.8	0.000
QK-17-020	69	70	1.00	410107	0.005	0.00	4.9	0.000
QK-17-020	70	71	1.00	410108	0.005	0.00	4.4	0.000
QK-17-020	73	74	1.00	410109	0.005	0.00	5.2	0.001
QK-17-020	74	75	1.00	410111	0.005	0.00	4.1	0.000
QK-17-020	75	76	1.00	410112	0.005	0.00	4.6	0.000
QK-17-020	76	77	1.00	410113	0.005	0.00	4.5	0.000
QK-17-020	78	79	1.00	410114	0.04	0.00	4	0.000
QK-17-020	84	85	1.00	410115	0.005	0.00	4.1	0.000
QK-17-020	87	88	1.00	410116	0.005	0.00	6.4	0.001
QK-17-020	92	93	1.00	410117	0.005	0.00	4.9	0.000
QK-17-021	6	7	1.00	410118	0.02	0.01	37.2	0.004
QK-17-021	7	8	1.00	410119	0.005	0.01	33.3	0.003
QK-17-021	8	9	1.00	410121	0.01	0.02	47.3	0.005
QK-17-021	14	15	1.00	410122	0.005	0.00	45.1	0.005
QK-17-021	22	23	1.00	410123	0.005	0.01	37.3	0.004
QK-17-021	23	24	1.00	410124	0.005	0.01	35.5	0.004
QK-17-021	29	30	1.00	410125	0.005	0.01	36.9	0.004
QK-17-021	30	31	1.00	410126	0.02	0.03	41.9	0.004
QK-17-021	31	32	1.00	410127	0.21	0.19	40.6	0.004
QK-17-021	32	33	1.00	410128	1.63	1.45	565	0.057
QK-17-021	33	34.06	1.06	410129	1.04	2.04	212	0.021
QK-17-021	34.06	35	0.94	410131	2.51	0.58	93.3	0.009
QK-17-021	35	36	1.00	410132	0.66	0.91	116	0.012
QK-17-021	36	37	1.00	410133	0.67	0.72	66.9	0.007
QK-17-021	37	38	1.00	410134	3.62	1.51	76.5	0.008
QK-17-021	38	38.6	0.60	410135	1.1	2.73	909	0.091
QK-17-021	38.6	39.1	0.50	410136	1.16	0.25	195	0.020
QK-17-021	39.1	40	0.90	410137	0.03	0.05	31.1	0.003
QK-17-021	43	44	1.00	410138	0.01	0.02	31.9	0.003
QK-17-021	45	46	1.00	410139	5.51	0.18	41.8	0.004
QK-17-021	46	46.51	0.51	410141	2.97	0.10	617	0.062
QK-17-021	49	50	1.00	410142	0.005	0.04	58.2	0.006
QK-17-021	50	51	1.00	410143	0.07	0.05	41	0.004
QK-17-021	51	52	1.00	410144	0.01	0.02	38.8	0.004
QK-17-021	52	53	1.00	410145	0.03	0.06	95.6	0.010
QK-17-021	53	54	1.00	410146	0.07	0.02	37.3	0.004
QK-17-021	55	56	1.00	410147	0.005	0.01	36.9	0.004
QK-17-021	61	62	1.00	410148	0.22	0.04	43.4	0.004
QK-17-021	62	63	1.00	410149	1.58	0.14	94.8	0.009

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-021	67	68	1.00	410151	0.26	0.03	25.4	0.003
QK-17-021	76	77	1.00	410152	0.08	0.15	34.2	0.003
QK-17-021	77	78	1.00	410153	0.44	0.21	131	0.013
QK-17-021	83	84	1.00	410154	0.1	0.06	41.4	0.004
QK-17-021	92	93	1.00	410155	0.005	0.01	29.9	0.003
QK-17-022	6	7	1.00	410199	0.21	0.01	34.3	0.003
QK-17-022	7	8	1.00	410156	0.04	0.01	26	0.003
QK-17-022	8	9	1.00	410157	0.005	0.01	26.8	0.003
QK-17-022	11	12	1.00	410158	0.005	0.01	43.1	0.004
QK-17-022	21	22	1.00	410159	0.005	0.01	41.5	0.004
QK-17-022	27	28	1.00	410161	0.12	0.18	38	0.004
QK-17-022	28	29	1.00	410162	0.42	0.93	81.6	0.008
QK-17-022	29	30	1.00	410163	5.21	2.67	142	0.014
QK-17-022	30	31	1.00	410164	0.45	3.00	122	0.012
QK-17-022	31	32	1.00	410165	1.37	2.40	191	0.019
QK-17-022	32	33	1.00	410166	1.7	2.57	110	0.011
QK-17-022	33	34	1.00	410167	5.58	3.06	215	0.022
QK-17-022	34	35	1.00	410168	1.86	0.74	399	0.040
QK-17-022	35	36	1.00	410169	0.17	0.28	69.1	0.007
QK-17-022	36	37	1.00	410171	0.03	0.01	43.9	0.004
QK-17-022	37	38	1.00	410172	0.005	0.01	31.8	0.003
QK-17-022	38	39.5	1.50	410173	0.01	0.04	34.1	0.003
QK-17-022	39.5	40	0.50	410174	4.26	0.26	155	0.016
QK-17-022	41	42	1.00	410175	2.31	0.09	94.6	0.009
QK-17-022	45	46	1.00	410176	0.38	0.06	182	0.018
QK-17-022	46	47	1.00	410177	0.17	0.07	80.9	0.008
QK-17-022	49	50	1.00	410178	0.005	0.04	39.4	0.004
QK-17-022	53	54	1.00	410179	0.06	0.04	41.6	0.004
QK-17-022	59	60	1.00	410181	4.75	0.10	592	0.059
QK-17-022	62	63	1.00	410182	0.94	0.33	132	0.013
QK-17-022	63	64	1.00	410183	0.11	0.08	75.7	0.008
QK-17-022	64	65	1.00	410184	0.28	0.44	412	0.041
QK-17-022	65	66	1.00	410185	0.04	0.03	62.2	0.006
QK-17-022	66	67	1.00	410186	0.44	0.07	88.6	0.009
QK-17-022	67	68	1.00	410187	0.01	0.02	30.9	0.003
QK-17-022	68	69	1.00	410188	0.02	0.01	36	0.004
QK-17-022	69	70	1.00	410189	0.09	0.03	59.1	0.006
QK-17-022	70	71	1.00	410191	0.04	0.12	45.1	0.005
QK-17-022	71	72	1.00	410192	0.005	0.01	28.9	0.003
QK-17-022	72	73	1.00	410193	0.005	0.00	24.3	0.002
QK-17-022	76	77	1.00	410194	0.09	0.08	167	0.017
QK-17-022	80	81	1.00	410195	0.005	0.02	31.6	0.003
QK-17-022	84	85	1.00	410196	1.07	0.04	630	0.063
QK-17-022	95	96	1.00	410197	0.005	0.01	41.8	0.004
QK-17-022	103	104	1.00	410198	0.005	0.01	32	0.003
QK-17-023	3	4	1.00	410200	0.005	0.00	4.2	0.000
QK-17-023	6	7	1.00	410201	0.005	0.00	4.8	0.000
QK-17-023	9	10	1.00	410202	0.005	0.00	4	0.000
QK-17-023	15	16	1.00	410203	0.005	0.00	4.5	0.000
QK-17-023	19	20	1.00	410204	0.005	0.00	4.1	0.000

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-023	20	21	1.00	410205	0.005	0.00	3.5	0.000
QK-17-023	21	22	1.00	410206	0.005	0.00	4.5	0.000
QK-17-023	22	23	1.00	410207	0.005	0.00	4.5	0.000
QK-17-023	23	24	1.00	410208	0.005	0.00	4.6	0.000
QK-17-023	24	25	1.00	410209	0.01	0.00	5	0.001
QK-17-023	25	26	1.00	410211	0.005	0.00	4.2	0.000
QK-17-023	26	27	1.00	410212	0.05	0.00	4.2	0.000
QK-17-023	27	28	1.00	410213	0.31	0.00	3.5	0.000
QK-17-023	28	29	1.00	410214	0.2	0.00	3.2	0.000
QK-17-023	29	29.7	0.70	410216	0.15	0.00	4.8	0.000
QK-17-023	29.7	30	0.30	410217	0.38	0.00	4.9	0.000
QK-17-023	30	31	1.00	410218	0.005	0.00	3.7	0.000
QK-17-023	31	32	1.00	410219	0.02	0.00	3.8	0.000
QK-17-023	32	33	1.00	410221	0.005	0.00	4.4	0.000
QK-17-023	33	34	1.00	410222	0.005	0.00	4.3	0.000
QK-17-023	34	35	1.00	410223	0.02	0.00	3.8	0.000
QK-17-023	41	42	1.00	410224	0.005	0.00	4.7	0.000
QK-17-023	48	49	1.00	410225	0.005	0.00	4.6	0.000
QK-17-023	52	53	1.00	410226	0.005	0.00	4.1	0.000
QK-17-023	56	57	1.00	410227	0.005	0.00	9.4	0.001
QK-17-023	60	61	1.00	410228	0.005	0.00	4.5	0.000
QK-17-023	61	62	1.00	410229	0.005	0.00	4	0.000
QK-17-023	62	63	1.00	410231	0.005	0.00	3.8	0.000
QK-17-023	63	64	1.00	410232	0.005	0.00	4.9	0.000
QK-17-023	64	65	1.00	410233	0.005	0.00	4.8	0.000
QK-17-023	65	65.6	0.60	410234	0.26	0.00	10.9	0.001
QK-17-023	65.6	66	0.40	410252	0.47	0.02	24.6	0.002
QK-17-023	66	67	1.00	410235	0.01	0.00	11.8	0.001
QK-17-023	67	68	1.00	410236	0.09	0.01	10.1	0.001
QK-17-023	68	69	1.00	410237	0.02	0.00	7	0.001
QK-17-023	69	70	1.00	410238	0.02	0.00	4.1	0.000
QK-17-023	70	71	1.00	410239	0.005	0.00	3.9	0.000
QK-17-023	71	72	1.00	410241	0.005	0.00	4.1	0.000
QK-17-023	72	73	1.00	410242	0.005	0.00	4.3	0.000
QK-17-023	73	74	1.00	410243	0.005	0.00	4.1	0.000
QK-17-023	74	75	1.00	410244	0.005	0.00	4.6	0.000
QK-17-023	78	79	1.00	410245	0.005	0.00	4.4	0.000
QK-17-023	83	84	1.00	410246	0.005	0.00	5.1	0.001
QK-17-023	88	89	1.00	410247	0.02	0.00	4.6	0.000
QK-17-023	90.8	92.1	1.30	410248	0.005	0.00	20.8	0.002
QK-17-023	96	97	1.00	410249	0.005	0.00	4.3	0.000
QK-17-023	108	109	1.00	410251	0.005	0.00	4.5	0.000
QK-17-024	6	7	1.00	410253	0.005	0.00	27	0.003
QK-17-024	9	10	1.00	410254	0.005	0.00	51	0.005
QK-17-024	12	13	1.00	410255	0.005	0.00	66.5	0.007
QK-17-024	14	15	1.00	410256	0.005	0.00	17.9	0.002
QK-17-024	15	16	1.00	410257	0.005	0.00	14.6	0.001
QK-17-024	18	19	1.00	410258	0.01	0.01	30.6	0.003
QK-17-024	21	22	1.00	410259	0.005	0.01	32.1	0.003
QK-17-024	24	25	1.00	410261	0.005	0.00	30.5	0.003

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-024	27	28	1.00	410262	0.005	0.00	19.5	0.002
QK-17-024	30	31	1.00	410263	0.005	0.01	24.5	0.002
QK-17-024	33	34	1.00	410264	0.005	0.00	21.6	0.002
QK-17-024	36	37	1.00	410265	0.005	0.00	44.2	0.004
QK-17-024	39	40	1.00	410266	0.005	0.00	45.1	0.005
QK-17-024	41.5	42.5	1.00	410267	0.005	0.02	15.6	0.002
QK-17-024	43.5	44.1	0.60	410268	0.005	0.01	18.8	0.002
QK-17-024	44.1	44.54	0.44	410269	0.12	0.01	9.8	0.001
QK-17-024	44.54	44.86	0.32	410271	0.17	0.01	24.4	0.002
QK-17-024	44.86	45.32	0.46	410272	0.005	0.01	81.8	0.008
QK-17-024	45.32	46	0.68	410273	0.02	0.00	71.5	0.007
QK-17-024	46	47	1.00	410274	0.03	0.01	75.8	0.008
QK-17-024	47	48	1.00	410275	0.005	0.01	70.8	0.007
QK-17-024	48	49	1.00	410276	0.005	0.01	71.5	0.007
QK-17-024	49	50	1.00	410277	0.005	0.00	68.1	0.007
QK-17-024	50	51	1.00	410278	0.01	0.01	72.4	0.007
QK-17-024	51	51.48	0.48	410279	0.005	0.00	67.4	0.007
QK-17-024	51.48	52.6	1.12	410281	0.005	0.00	70.5	0.007
QK-17-024	52.6	53.71	1.11	410282	0.005	0.00	70.9	0.007
QK-17-024	53.71	54.05	0.34	410283	0.005	0.00	33.5	0.003
QK-17-024	54.05	55	0.95	410284	0.005	0.01	64.6	0.006
QK-17-024	55	55.61	0.61	410285	0.005	0.01	61.2	0.006
QK-17-024	55.61	56.55	0.94	410286	0.005	0.00	64.7	0.006
QK-17-024	56.55	57.27	0.72	410287	0.02	0.00	61.5	0.006
QK-17-024	57.27	57.82	0.55	410288	0.02	0.01	56.4	0.006
QK-17-024	57.82	58.43	0.61	410289	0.005	0.00	49.3	0.005
QK-17-024	58.43	59.1	0.67	410291	0.005	0.01	38.5	0.004
QK-17-024	59.1	59.5	0.40	410292	0.005	0.00	12.7	0.001
QK-17-024	59.5	60.5	1.00	410293	0.005	0.01	34.3	0.003
QK-17-024	60.5	61.44	0.94	410294	0.005	0.01	25	0.003
QK-17-024	61.44	61.84	0.40	410295	0.005	0.02	22.6	0.002
QK-17-024	61.84	63	1.16	410296	0.005	0.00	18.4	0.002
QK-17-024	63	64	1.00	410297	0.005	0.00	17.3	0.002
QK-17-024	64	64.91	0.91	410298	0.005	0.01	18.3	0.002
QK-17-024	64.91	65.58	0.67	410299	0.005	0.01	22.7	0.002
QK-17-024	65.58	66.14	0.56	410301	0.005	0.01	31	0.003
QK-17-024	66.14	67.02	0.88	410302	0.005	0.01	23.2	0.002
QK-17-024	67.02	68	0.98	410303	0.005	0.00	41.2	0.004
QK-17-024	68	69	1.00	410304	0.005	0.00	33.7	0.003
QK-17-024	69	70	1.00	410305	0.005	0.00	34.6	0.003
QK-17-024	70	71.12	1.12	410306	0.005	0.00	36.2	0.004
QK-17-024	71.12	71.66	0.54	410307	0.005	0.01	13.8	0.001
QK-17-024	71.66	72.35	0.69	410308	0.005	0.01	16.9	0.002
QK-17-024	72.35	73	0.65	410309	0.005	0.00	40.2	0.004
QK-17-024	73	74	1.00	410311	0.005	0.00	24.5	0.002
QK-17-024	74	74.64	0.64	410312	0.07	0.02	27.7	0.003
QK-17-024	74.64	75.1	0.46	410313	0.05	0.01	22.4	0.002
QK-17-024	75.1	75.88	0.78	410314	0.02	0.00	17.7	0.002
QK-17-024	75.88	76.26	0.38	410315	0.05	0.01	41.4	0.004
QK-17-024	76.26	76.72	0.46	410316	0.005	0.01	30.1	0.003

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-024	76.72	77.04	0.32	410317	0.005	0.00	7.1	0.001
QK-17-024	77.04	77.49	0.45	410318	0.2	0.11	106	0.011
QK-17-024	77.49	78.44	0.95	410319	0.005	0.00	23.4	0.002
QK-17-024	78.44	79.4	0.96	410321	0.04	0.01	26.1	0.003
QK-17-024	79.4	80.42	1.02	410322	0.18	0.02	23.6	0.002
QK-17-024	80.42	80.83	0.41	410323	0.02	0.09	10.5	0.001
QK-17-024	80.83	81.49	0.66	410324	0.09	0.01	13.6	0.001
QK-17-024	81.49	82.2	0.71	410325	0.11	0.01	19.7	0.002
QK-17-024	82.2	83.37	1.17	410326	0.005	0.02	16.6	0.002
QK-17-024	83.37	83.84	0.47	410327	0.01	0.00	9.3	0.001
QK-17-024	83.84	84.64	0.80	410328	0.08	0.01	25.1	0.003
QK-17-024	84.64	85.26	0.62	410329	0.02	0.02	7.5	0.001
QK-17-024	85.26	85.78	0.52	410331	0.005	0.00	11.6	0.001
QK-17-024	85.78	86.32	0.54	410332	0.005	0.01	26	0.003
QK-17-024	86.32	87	0.68	410333	0.005	0.01	14.9	0.001
QK-17-024	87	88	1.00	410334	0.005	0.00	16.2	0.002
QK-17-024	88	89	1.00	410335	0.01	0.01	23.2	0.002
QK-17-024	89	90	1.00	410336	0.005	0.01	17.6	0.002
QK-17-024	90	90.65	0.65	410337	0.005	0.00	15.9	0.002
QK-17-024	90.65	92	1.35	410338	0.005	0.00	15.2	0.002
QK-17-024	92	92.34	0.34	410339	0.04	0.01	17.5	0.002
QK-17-024	92.34	93.23	0.89	410341	0.005	0.01	16.6	0.002
QK-17-024	93.23	93.73	0.50	410342	0.005	0.01	14.7	0.001
QK-17-024	93.73	94.53	0.80	410343	0.01	0.01	17.3	0.002
QK-17-024	94.53	95	0.47	410344	0.02	0.02	21.9	0.002
QK-17-024	95	96	1.00	410345	0.005	0.05	36	0.004
QK-17-024	96	97	1.00	410346	0.005	0.02	32.6	0.003
QK-17-024	97	98	1.00	410347	0.005	0.02	19.5	0.002
QK-17-024	98	99	1.00	410348	0.005	0.01	18.2	0.002
QK-17-024	99	100	1.00	410349	0.01	0.00	21.4	0.002
QK-17-024	100	101	1.00	410351	0.005	0.00	19.5	0.002
QK-17-024	101	102	1.00	410352	0.005	0.00	26.5	0.003
QK-17-024	102	103	1.00	410353	0.005	0.00	41.6	0.004
QK-17-024	103	103.67	0.67	410354	0.005	0.00	32.5	0.003
QK-17-024	103.67	104.23	0.56	410355	0.005	0.00	28.8	0.003
QK-17-024	104.23	104.91	0.68	410356	0.005	0.00	49.6	0.005
QK-17-024	104.91	106	1.09	410357	0.005	0.00	68.8	0.007
QK-17-024	106	107	1.00	410358	0.005	0.01	72.4	0.007
QK-17-024	108	109	1.00	410359	0.005	0.00	73.3	0.007
QK-17-024	111	112	1.00	410361	0.005	0.01	80	0.008
QK-17-025	6	7	1.00	410446	0.005	0.00	4.7	0.000
QK-17-025	11	12	1.00	410447	0.005	0.00	12.3	0.001
QK-17-025	18	19	1.00	410448	0.005	0.00	4.4	0.000
QK-17-025	24	25	1.00	410449	0.005	0.00	4.5	0.000
QK-17-025	32.5	33.1	0.60	410451	0.005	0.00	5.3	0.001
QK-17-025	33.1	33.55	0.45	410452	0.005	0.00	4	0.000
QK-17-025	33.55	34	0.45	410453	0.005	0.00	5.3	0.001
QK-17-025	34	34.71	0.71	410454	0.03	0.00	8.9	0.001
QK-17-025	34.71	35.17	0.46	410455	0.02	0.00	4.7	0.000
QK-17-025	35.17	36	0.83	410456	0.005	0.00	4.2	0.000

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-025	36	37	1.00	410457	0.005	0.00	4.3	0.000
QK-17-025	42	43	1.00	410458	0.005	0.00	4.9	0.000
QK-17-025	48	49	1.00	410459	0.005	0.00	5.7	0.001
QK-17-025	54	55	1.00	410461	0.005	0.00	6.6	0.001
QK-17-025	60	61	1.00	410462	0.005	0.00	5.1	0.001
QK-17-025	66	67	1.00	410463	0.005	0.00	4.8	0.000
QK-17-025	70	71.21	1.21	410464	0.005	0.00	4.9	0.000
QK-17-025	71.21	71.76	0.55	410465	0.005	0.00	5.4	0.001
QK-17-025	71.76	72.35	0.59	410466	0.005	0.00	5.8	0.001
QK-17-025	72.35	73	0.65	410467	0.005	0.00	4.7	0.000
QK-17-025	76.5	77.2	0.70	410468	0.005	0.00	6.7	0.001
QK-17-025	77.2	78	0.80	410469	0.005	0.00	23	0.002
QK-17-025	78	78.9	0.90	410471	0.005	0.00	28.3	0.003
QK-17-025	78.9	80	1.10	410472	0.005	0.00	5.6	0.001
QK-17-025	84	85	1.00	410473	0.005	0.00	5.6	0.001
QK-17-025	90	91	1.00	410474	0.005	0.00	6.1	0.001
QK-17-025	96	97	1.00	410475	0.005	0.00	4.7	0.000
QK-17-025	102	103	1.00	410476	0.005	0.00	4.9	0.000
QK-17-025	108	109	1.00	410477	0.005	0.00	5.1	0.001
QK-17-025	114	115	1.00	410478	0.005	0.00	4.7	0.000
QK-17-025	120	121	1.00	410479	0.005	0.00	4.7	0.000
QK-17-025	126	127	1.00	410558	0.005	0.00	5	0.001
QK-17-025	132	133	1.00	410559	0.005	0.00	4.7	0.000
QK-17-025	138	139	1.00	410561	0.005	0.00	5	0.001
QK-17-025	144	145	1.00	410562	0.005	0.00	4.6	0.000
QK-17-025	150	150.85	0.85	410563	0.04	0.00	4.8	0.000
QK-17-025	150.85	151.52	0.67	410564	0.005	0.00	4.7	0.000
QK-17-025	151.52	152.37	0.85	410565	0.005	0.00	4.6	0.000
QK-17-025	152.37	153.39	1.02	410566	0.005	0.00	3.9	0.000
QK-17-025	153.39	154.13	0.74	410567	0.005	0.00	3.6	0.000
QK-17-025	154.13	154.57	0.44	410568	0.01	0.00	5.1	0.001
QK-17-025	154.57	155.5	0.93	410569	0.005	0.00	4.3	0.000
QK-17-025	155.5	156.5	1.00	410571	0.005	0.00	4.7	0.000
QK-17-025	156.5	157.5	1.00	410572	0.005	0.00	4.6	0.000
QK-17-025	157.5	158.65	1.15	410573	0.005	0.00	4.2	0.000
QK-17-025	158.65	159.52	0.87	410574	0.005	0.00	4.3	0.000
QK-17-025	159.52	160.5	0.98	410575	0.005	0.00	4.8	0.000
QK-17-025	160.5	161.5	1.00	410576	0.005	0.00	4.2	0.000
QK-17-025	161.5	162.5	1.00	410577	0.005	0.00	4.7	0.000
QK-17-025	162.5	163.5	1.00	410578	0.005	0.00	5.3	0.001
QK-17-025	163.5	164.4	0.90	410579	0.01	0.00	4.2	0.000
QK-17-025	164.4	165.5	1.10	410581	0.005	0.00	4.7	0.000
QK-17-025	165.5	166.5	1.00	410582	0.09	0.00	4.6	0.000
QK-17-025	166.5	167.5	1.00	410583	0.04	0.00	4	0.000
QK-17-025	167.5	168.5	1.00	410584	0.02	0.00	4.6	0.000
QK-17-025	168.5	169.57	1.07	410585	0.005	0.00	2.5	0.000
QK-17-025	169.57	170.25	0.68	410586	0.005	0.00	3.9	0.000
QK-17-025	170.25	171	0.75	410587	0.005	0.00	4.4	0.000
QK-17-025	171	171.97	0.97	410588	0.02	0.00	3.3	0.000
QK-17-025	171.97	173	1.03	410589	0.005	0.00	3.8	0.000

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-025	173	174	1.00	410591	0.04	0.00	4.2	0.000
QK-17-025	174	175	1.00	410592	0.06	0.00	4.1	0.000
QK-17-025	175	176	1.00	410593	0.005	0.00	3.5	0.000
QK-17-026	6	7	1.00	410362	0.005	0.00	13	0.001
QK-17-026	9.1	9.53	0.43	410363	0.005	0.00	45.8	0.005
QK-17-026	12	13	1.00	410364	0.005	0.00	68.6	0.007
QK-17-026	13.47	14	0.53	410365	0.005	0.00	14.2	0.001
QK-17-026	15	16	1.00	410366	0.005	0.00	16.8	0.002
QK-17-026	18	19	1.00	410367	0.005	0.01	32.4	0.003
QK-17-026	20.5	21.13	0.63	410368	0.005	0.00	28.5	0.003
QK-17-026	21.13	21.45	0.32	410369	0.06	0.06	25.8	0.003
QK-17-026	21.45	22	0.55	410371	0.005	0.00	61.7	0.006
QK-17-026	23.4	24	0.60	410372	0.01	0.01	30.8	0.003
QK-17-026	24.57	25	0.43	410373	0.005	0.00	29.4	0.003
QK-17-026	27	28	1.00	410374	0.005	0.00	19.4	0.002
QK-17-026	32	33	1.00	410375	0.005	0.00	18.6	0.002
QK-17-026	36	37	1.00	410376	0.005	0.01	32.5	0.003
QK-17-026	39	40	1.00	410377	0.005	0.01	16.7	0.002
QK-17-026	40	41	1.00	410378	0.005	0.01	18.4	0.002
QK-17-026	41	41.75	0.75	410379	0.005	0.06	21.7	0.002
QK-17-026	41.75	42.6	0.85	410381	0.005	0.01	18.7	0.002
QK-17-026	42.6	43.25	0.65	410382	0.005	0.01	63.9	0.006
QK-17-026	43.25	44	0.75	410383	0.01	0.01	70.8	0.007
QK-17-026	44	45	1.00	410384	0.005	0.01	67.2	0.007
QK-17-026	45	46	1.00	410385	0.005	0.01	65.3	0.007
QK-17-026	46	46.86	0.86	410386	0.005	0.01	59.8	0.006
QK-17-026	46.86	48	1.14	410387	0.005	0.01	50.8	0.005
QK-17-026	48	49	1.00	410388	0.005	0.00	64.5	0.006
QK-17-026	49	50	1.00	410389	0.005	0.01	70.9	0.007
QK-17-026	50	50.85	0.85	410391	0.005	0.01	73.5	0.007
QK-17-026	50.85	51.47	0.62	410392	0.005	0.01	57.3	0.006
QK-17-026	51.47	52	0.53	410393	0.005	0.01	69.9	0.007
QK-17-026	52	53	1.00	410394	0.005	0.01	72.5	0.007
QK-17-026	53	54	1.00	410395	0.005	0.01	74.3	0.007
QK-17-026	54	55	1.00	410396	0.005	0.01	65.1	0.007
QK-17-026	55	55.83	0.83	410397	0.005	0.01	74.1	0.007
QK-17-026	55.83	57	1.17	410398	0.005	0.01	64.7	0.006
QK-17-026	57	58	1.00	410399	0.005	0.00	86.8	0.009
QK-17-026	58	59	1.00	410401	0.005	0.01	45.2	0.005
QK-17-026	59	60	1.00	410402	0.01	0.03	58.3	0.006
QK-17-026	60	61	1.00	410403	0.005	0.00	64.1	0.006
QK-17-026	61	61.93	0.93	410404	0.005	0.00	77.2	0.008
QK-17-026	61.93	62.8	0.87	410405	0.005	0.00	57.2	0.006
QK-17-026	62.8	63.5	0.70	410406	0.005	0.00	69.3	0.007
QK-17-026	63.5	64.54	1.04	410407	0.005	0.00	36.3	0.004
QK-17-026	64.54	65.28	0.74	410408	0.005	0.00	69.1	0.007
QK-17-026	65.28	66.07	0.79	410409	0.01	0.01	38.2	0.004
QK-17-026	66.07	66.85	0.78	410411	0.005	0.02	20.5	0.002
QK-17-026	66.85	67.52	0.67	410412	0.005	0.02	58.5	0.006
QK-17-026	67.52	68.46	0.94	410413	0.02	0.00	29.2	0.003

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-026	68.46	69.22	0.76	410414	0.005	0.00	5.5	0.001
QK-17-026	69.22	70.3	1.08	410415	0.005	0.01	76.7	0.008
QK-17-026	70.3	71.47	1.17	410416	0.005	0.01	55.6	0.006
QK-17-026	71.47	72.06	0.59	410417	0.005	0.00	23	0.002
QK-17-026	72.06	73	0.94	410418	0.005	0.00	59.2	0.006
QK-17-026	73	74	1.00	410419	0.005	0.01	69.1	0.007
QK-17-026	74	75	1.00	410421	0.005	0.00	62.6	0.006
QK-17-026	75	76	1.00	410422	0.005	0.01	63.7	0.006
QK-17-026	76	77	1.00	410423	0.005	0.00	66.4	0.007
QK-17-026	77	78	1.00	410424	0.005	0.01	68.8	0.007
QK-17-026	78	79	1.00	410425	0.005	0.00	70.8	0.007
QK-17-026	79	80	1.00	410426	0.005	0.00	61.8	0.006
QK-17-026	80	81	1.00	410427	0.005	0.00	55.7	0.006
QK-17-026	81	82	1.00	410428	0.005	0.00	56.2	0.006
QK-17-026	82	83	1.00	410429	0.005	0.00	57.8	0.006
QK-17-026	83	83.79	0.79	410431	0.005	0.01	60	0.006
QK-17-026	83.79	84.44	0.65	410432	0.005	0.01	54.7	0.005
QK-17-026	84.44	85	0.56	410433	0.005	0.01	68	0.007
QK-17-026	85	86	1.00	410434	0.005	0.01	63	0.006
QK-17-026	86	87	1.00	410435	0.005	0.02	61.9	0.006
QK-17-026	87	88	1.00	410436	0.005	0.01	63.1	0.006
QK-17-026	93	94	1.00	410437	0.005	0.01	65.3	0.007
QK-17-026	96	97	1.00	410438	0.005	0.00	65.6	0.007
QK-17-026	97	97.78	0.78	410439	0.005	0.01	71.9	0.007
QK-17-026	97.78	98.5	0.72	410441	0.005	0.00	45.4	0.005
QK-17-026	98.5	99.41	0.91	410442	0.005	0.01	50	0.005
QK-17-026	99.41	99.82	0.41	410443	0.02	0.09	56.1	0.006
QK-17-026	99.82	101.1	1.28	410444	0.25	0.05	6.1	0.001
QK-17-026	101.1	102	0.90	410445	0.02	0.00	56.2	0.006
QK-17-027	6	7	1.00	410481	0.005	0.00	36.8	0.004
QK-17-027	12	13	1.00	410482	0.005	0.00	39.3	0.004
QK-17-027	16	17	1.00	410483	0.005	0.01	28.2	0.003
QK-17-027	22.25	23.25	1.00	410484	0.005	0.01	37.1	0.004
QK-17-027	23.25	24	0.75	410485	0.005	0.00	29.6	0.003
QK-17-027	24	25	1.00	410486	0.005	0.01	33.7	0.003
QK-17-027	25	26	1.00	410487	0.005	0.01	48	0.005
QK-17-027	26	27	1.00	410488	0.005	0.01	39.9	0.004
QK-17-027	31.66	33	1.34	410489	0.005	0.02	39.4	0.004
QK-17-027	33	33.92	0.92	410491	0.005	0.01	39.4	0.004
QK-17-027	33.92	34.22	0.30	410492	0.01	0.00	77.9	0.008
QK-17-027	34.22	35	0.78	410493	0.005	0.00	21.7	0.002
QK-17-027	35	36	1.00	410494	0.005	0.02	41.6	0.004
QK-17-027	36	37	1.00	410495	0.005	0.01	37.4	0.004
QK-17-027	37	37.46	0.46	410496	0.005	0.01	40.1	0.004
QK-17-027	37.46	38.29	0.83	410497	0.01	0.01	23.1	0.002
QK-17-027	38.29	39	0.71	410498	0.12	0.10	48.4	0.005
QK-17-027	39	40	1.00	410499	0.26	0.04	48.2	0.005
QK-17-027	41	41.73	0.73	410501	0.005	0.02	46.1	0.005
QK-17-027	41.95	43	1.05	410502	0.01	0.00	26.3	0.003
QK-17-027	46	46.89	0.89	410503	0.02	0.01	24.8	0.002

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-027	46.89	47.25	0.36	410504	0.005	0.00	25.6	0.003
QK-17-027	47.25	48	0.75	410505	0.005	0.02	50	0.005
QK-17-027	51	52	1.00	410506	0.01	0.01	29	0.003
QK-17-027	53.75	54.32	0.57	410507	0.32	0.13	46	0.005
QK-17-027	54.32	54.8	0.48	410508	0.64	0.71	59.1	0.006
QK-17-027	54.8	55.5	0.70	410509	0.8	0.43	88.4	0.009
QK-17-027	55.5	56.7	1.20	410511	0.17	0.13	34.4	0.003
QK-17-027	56.7	57.72	1.02	410512	0.005	0.07	69.1	0.007
QK-17-027	57.72	58.19	0.47	410513	0.005	0.01	30.5	0.003
QK-17-027	58.19	59	0.81	410514	0.005	0.02	38.5	0.004
QK-17-027	62	62.91	0.91	410515	0.08	0.01	31.3	0.003
QK-17-027	62.91	64	1.09	410516	0.13	0.06	50.8	0.005
QK-17-027	64	64.53	0.53	410517	0.41	0.04	90.8	0.009
QK-17-027	64.53	65.5	0.97	410518	0.1	0.06	30.5	0.003
QK-17-027	65.5	66.32	0.82	410519	0.04	0.02	32.4	0.003
QK-17-027	66.32	67	0.68	410521	0.05	0.02	36	0.004
QK-17-027	67	68	1.00	410522	0.04	0.01	40	0.004
QK-17-027	68	68.74	0.74	410523	0.005	0.00	48.6	0.005
QK-17-027	68.74	69.19	0.45	410524	0.005	0.02	72.3	0.007
QK-17-027	69.19	70	0.81	410525	0.35	0.87	312	0.031
QK-17-027	70	71	1.00	410526	0.005	0.01	63	0.006
QK-17-027	71	72	1.00	410527	0.06	0.02	59.3	0.006
QK-17-027	72	73	1.00	410528	0.11	0.08	55.3	0.006
QK-17-027	73	74	1.00	410529	0.25	0.06	184	0.018
QK-17-027	75	76	1.00	410531	0.05	0.03	31.2	0.003
QK-17-027	79	79.5	0.50	410532	0.02	0.11	68.4	0.007
QK-17-027	86	87	1.00	410533	0.03	0.02	34.2	0.003
QK-17-027	93	94	1.00	410534	0.07	0.13	35.2	0.004
QK-17-027	98	99	1.00	410535	0.005	0.01	33.1	0.003
QK-17-027	103.75	104.25	0.50	410536	0.005	0.05	42.8	0.004
QK-17-027	111	112	1.00	410537	0.02	0.02	32.7	0.003
QK-17-027	112	112.3	0.30	410538	0.19	0.30	60.1	0.006
QK-17-027	112.3	113	0.70	410539	0.01	0.01	37.8	0.004
QK-17-027	117	118	1.00	410541	0.03	0.02	27.5	0.003
QK-17-027	123	123.47	0.47	410542	0.005	0.01	27.4	0.003
QK-17-027	123.47	124.23	0.76	410543	0.04	0.02	41.9	0.004
QK-17-027	124.23	125	0.77	410544	0.09	0.05	42.4	0.004
QK-17-027	132	133	1.00	410545	0.02	0.04	30.1	0.003
QK-17-027	133	134	1.00	410546	0.03	0.07	42.4	0.004
QK-17-027	134	135	1.00	410547	0.14	0.24	36.7	0.004
QK-17-027	137	138	1.00	410548	1.02	0.46	68.8	0.007
QK-17-027	138	139	1.00	410549	0.46	0.31	98.3	0.010
QK-17-027	142	143	1.00	410551	0.04	0.06	80.7	0.008
QK-17-027	150	151	1.00	410552	0.02	0.01	46.5	0.005
QK-17-027	153	154	1.00	410553	0.09	0.09	61.7	0.006
QK-17-027	159	160	1.00	410554	0.005	0.01	33	0.003
QK-17-027	165	166	1.00	410555	0.01	0.01	31.1	0.003
QK-17-027	171	172	1.00	410556	0.01	0.01	32	0.003
QK-17-027	178	179	1.00	410557	0.04	0.02	27	0.003
QK-17-028	4	5	1.00	410594	0.02	0.02	30.3	0.003

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-028	5	6.26	1.26	410595	0.005	0.02	42.4	0.004
QK-17-028	6.26	6.74	0.48	410596	0.57	0.00	50.6	0.005
QK-17-028	6.74	7.82	1.08	410597	0.005	0.01	63.4	0.006
QK-17-028	7.82	9	1.18	410598	0.005	0.01	61.5	0.006
QK-17-028	9	10	1.00	410599	0.005	0.01	61	0.006
QK-17-028	10	11	1.00	410601	0.005	0.01	59.4	0.006
QK-17-028	11	12	1.00	410602	0.005	0.01	65.3	0.007
QK-17-028	12	13	1.00	410603	0.005	0.01	56.3	0.006
QK-17-028	13	14	1.00	410604	0.005	0.01	55.8	0.006
QK-17-028	14	15	1.00	410605	0.005	0.01	26.4	0.003
QK-17-028	15	16	1.00	410606	0.005	0.01	34.3	0.003
QK-17-028	16	16.93	0.93	410607	0.005	0.01	48.3	0.005
QK-17-028	16.93	18.25	1.32	410608	0.005	0.00	18.9	0.002
QK-17-028	18.25	18.8	0.55	410609	0.005	0.01	52.7	0.005
QK-17-028	18.8	19.64	0.84	410611	0.005	0.01	45.8	0.005
QK-17-028	19.64	20.5	0.86	410612	0.005	0.01	53.6	0.005
QK-17-028	20.5	21.5	1.00	410613	0.005	0.01	51.8	0.005
QK-17-028	21.5	22.5	1.00	410614	0.005	0.01	45.2	0.005
QK-17-028	22.5	23.28	0.78	410615	0.005	0.01	46.2	0.005
QK-17-028	23.28	23.81	0.53	410616	0.005	0.01	50.5	0.005
QK-17-028	23.81	25	1.19	410617	0.005	0.01	43.9	0.004
QK-17-028	25	26	1.00	410618	0.005	0.01	26.6	0.003
QK-17-028	26	26.62	0.62	410619	0.005	0.01	25.6	0.003
QK-17-028	26.62	27.17	0.55	410621	0.005	0.01	24.9	0.002
QK-17-028	27.17	28	0.83	410622	0.005	0.01	37.4	0.004
QK-17-028	28	28.72	0.72	410623	0.005	0.01	34.7	0.003
QK-17-028	28.72	29.17	0.45	410624	0.005	0.00	20.7	0.002
QK-17-028	29.17	30	0.83	410625	0.005	0.01	30.4	0.003
QK-17-028	30	30.66	0.66	410626	0.005	0.01	34.4	0.003
QK-17-028	30.66	31.32	0.66	410627	0.005	0.01	38.3	0.004
QK-17-028	31.32	32.5	1.18	410628	0.005	0.01	26.4	0.003
QK-17-028	32.5	33.5	1.00	410629	0.01	0.03	97.4	0.010
QK-17-028	33.5	34	0.50	410631	0.02	0.01	35.5	0.004
QK-17-028	34	35	1.00	410632	0.005	0.01	15.8	0.002
QK-17-028	35	36	1.00	410633	0.005	0.01	20.3	0.002
QK-17-028	36	37	1.00	410634	0.005	0.00	25.8	0.003
QK-17-028	37	38	1.00	410635	0.005	0.01	24.6	0.002
QK-17-028	38	39	1.00	410636	0.005	0.02	13.3	0.001
QK-17-028	39	40	1.00	410637	0.31	0.03	37	0.004
QK-17-028	40	41	1.00	410638	0.01	0.01	20.6	0.002
QK-17-028	41	42	1.00	410639	0.005	0.01	30.3	0.003
QK-17-028	42	43	1.00	410641	0.02	0.01	26.6	0.003
QK-17-028	43	43.34	0.34	410642	0.06	0.00	17.8	0.002
QK-17-028	43.34	44	0.66	410643	0.03	0.01	33.4	0.003
QK-17-028	44	45	1.00	410644	0.03	0.02	30.5	0.003
QK-17-028	45	46	1.00	410645	0.06	0.01	37	0.004
QK-17-028	46	46.75	0.75	410646	0.02	0.01	37.4	0.004
QK-17-028	46.75	47.34	0.59	410647	0.38	0.02	58.2	0.006
QK-17-028	47.34	47.64	0.30	410648	1.44	0.08	317	0.032
QK-17-028	47.64	48.31	0.67	410649	0.01	0.01	11.2	0.001

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-028	48.31	48.61	0.30	410651	2.02	0.41	138	0.014
QK-17-028	48.61	49.08	0.47	410652	0.27	0.01	144	0.014
QK-17-028	49.08	50	0.92	410653	0.17	0.04	9.8	0.001
QK-17-028	50	51	1.00	410654	0.005	0.00	51.2	0.005
QK-17-028	51	52.04	1.04	410655	0.13	0.06	17.6	0.002
QK-17-028	52.04	53	0.96	410656	0.12	0.02	22.9	0.002
QK-17-028	53	54	1.00	410657	0.005	0.02	20.8	0.002
QK-17-028	54	55.2	1.20	410658	0.005	0.01	21.5	0.002
QK-17-028	55.2	56.2	1.00	410659	0.005	0.01	32.6	0.003
QK-17-028	56.2	56.74	0.54	410661	0.05	0.01	31.9	0.003
QK-17-028	56.74	57.24	0.50	410662	0.005	0.00	36.4	0.004
QK-17-028	57.24	58.25	1.01	410663	0.02	0.00	45.1	0.005
QK-17-028	58.25	59.12	0.87	410664	0.005	0.00	41.5	0.004
QK-17-028	59.12	59.71	0.59	410665	0.005	0.01	36.3	0.004
QK-17-028	59.71	61	1.29	410666	0.005	0.01	25.7	0.003
QK-17-028	61	62	1.00	410667	0.005	0.01	28.3	0.003
QK-17-028	62	63	1.00	410668	0.06	0.01	29.3	0.003
QK-17-028	63	64	1.00	410669	0.005	0.01	34.2	0.003
QK-17-028	64	65	1.00	410671	0.005	0.01	32.8	0.003
QK-17-028	65	66	1.00	410672	0.005	0.01	25.2	0.003
QK-17-028	66	66.63	0.63	410673	0.02	0.01	22.5	0.002
QK-17-028	66.63	67.38	0.75	410674	0.005	0.01	47.8	0.005
QK-17-028	67.38	68	0.62	410675	0.005	0.01	23.8	0.002
QK-17-028	68	69	1.00	410676	0.005	0.01	22.9	0.002
QK-17-028	69	70	1.00	410677	0.005	0.01	24.4	0.002
QK-17-028	70	71	1.00	410678	0.005	0.01	26	0.003
QK-17-028	71	71.54	0.54	410679	0.005	0.01	31.2	0.003
QK-17-028	71.54	72.5	0.96	410685	0.005	0.01	32.2	0.003
QK-17-028	72.5	73.22	0.72	410686	0.005	0.01	35.6	0.004
QK-17-028	73.22	74	0.78	410687	0.005	0.01	31.5	0.003
QK-17-028	74	75	1.00	410688	0.03	0.01	34.1	0.003
QK-17-028	75	76	1.00	410689	0.005	0.01	42.2	0.004
QK-17-028	76	77	1.00	410691	0.005	0.01	50	0.005
QK-17-028	77	78	1.00	410692	0.005	0.01	59	0.006
QK-17-028	78	79	1.00	410693	0.005	0.01	48.2	0.005
QK-17-028	79	79.42	0.42	410694	0.005	0.00	47.2	0.005
QK-17-028	79.42	80.12	0.70	410696	0.005	0.03	21.5	0.002
QK-17-028	80.12	80.65	0.53	410697	0.005	0.02	11.6	0.001
QK-17-028	80.65	81.15	0.50	410698	0.005	0.01	36.2	0.004
QK-17-028	81.15	82	0.85	410699	0.005	0.01	38.7	0.004
QK-17-028	82	83	1.00	410701	0.005	0.01	35.4	0.004
QK-17-028	83	84	1.00	410702	0.005	0.01	36.1	0.004
QK-17-028	84	85	1.00	410703	0.005	0.01	36.8	0.004
QK-17-028	90	91	1.00	410704	0.005	0.01	34.6	0.003
QK-17-028	96	97	1.00	410705	0.005	0.01	32.3	0.003
QK-17-028	102	103	1.00	410706	0.005	0.01	29	0.003
QK-17-028	103	103.94	0.94	410707	0.005	0.01	33.5	0.003
QK-17-028	103.94	104.85	0.91	410708	0.09	0.02	35.4	0.004
QK-17-028	104.85	106	1.15	410709	0.005	0.03	35.6	0.004
QK-17-028	106	107	1.00	410711	0.005	0.02	28.4	0.003

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-028	107	108	1.00	410712	0.005	0.01	25.8	0.003
QK-17-028	108	109.1	1.10	410713	0.005	0.03	45.4	0.005
QK-17-028	109.1	110	0.90	410714	0.005	0.01	24.1	0.002
QK-17-028	114	115	1.00	410715	0.005	0.01	30.9	0.003
QK-17-028	119	120	1.00	410716	0.005	0.00	39.5	0.004
QK-17-028	120	121	1.00	410717	0.005	0.00	24	0.002
QK-17-028	121	121.4	0.40	410718	0.09	0.02	26.7	0.003
QK-17-028	121.4	122	0.60	410719	0.005	0.01	27.4	0.003
QK-17-028	122	123	1.00	410721	0.005	0.01	23	0.002
QK-17-028	124.5	125.5	1.00	410722	0.005	0.01	29.9	0.003
QK-17-028	125.5	126.5	1.00	410723	0.005	0.00	21	0.002
QK-17-028	128	128.5	0.50	410724	0.005	0.00	48	0.005
QK-17-028	128.5	129.55	1.05	410725	0.02	0.01	42.9	0.004
QK-17-028	129.55	130	0.45	410726	0.005	0.01	36.8	0.004
QK-17-028	130	130.52	0.52	410727	0.005	0.00	31	0.003
QK-17-028	130.52	131	0.48	410728	0.005	0.00	34.8	0.003
QK-17-028	131	132	1.00	410729	0.005	0.01	37.7	0.004
QK-17-028	138	139	1.00	410730	0.005	0.01	32.9	0.003
QK-17-028	144	145	1.00	410731	0.05	0.01	18.6	0.002
QK-17-028	150	151	1.00	410732	0.005	0.01	36.6	0.004
QK-17-028	156	157	1.00	410734	0.005	0.00	32.9	0.003
QK-17-028	162	163	1.00	410735	0.01	0.01	41.9	0.004
QK-17-028	163	164	1.00	410736	0.005	0.01	27.6	0.003
QK-17-028	164	165	1.00	410737	0.02	0.01	31	0.003
QK-17-028	165	165.6	0.60	410738	0.01	0.00	26	0.003
QK-17-028	165.6	166	0.40	410739	0.01	0.05	62.6	0.006
QK-17-028	166	167	1.00	410741	0.005	0.01	22.1	0.002
QK-17-028	167	168	1.00	410742	0.005	0.01	28.1	0.003
QK-17-028	168	169	1.00	410743	0.005	0.01	21.3	0.002
QK-17-029	9	10	1.00	410744	0.005	0.01	25.3	0.003
QK-17-029	15	16	1.00	410745	0.005	0.01	21.7	0.002
QK-17-029	21	22	1.00	410746	0.005	0.01	23.6	0.002
QK-17-029	22	23	1.00	410747	0.005	0.01	23.2	0.002
QK-17-029	23	24	1.00	410748	0.005	0.00	25.3	0.003
QK-17-029	24	25	1.00	410749	0.005	0.00	26.6	0.003
QK-17-029	25	26	1.00	410751	0.005	0.01	24.7	0.002
QK-17-029	26	27	1.00	410752	0.005	0.01	21.6	0.002
QK-17-029	27	28	1.00	410753	0.005	0.01	24.5	0.002
QK-17-029	34	35	1.00	410754	0.005	0.01	21.9	0.002
QK-17-029	35	36	1.00	410755	0.005	0.01	23.7	0.002
QK-17-029	36	37	1.00	410756	0.005	0.01	24.4	0.002
QK-17-029	42	43	1.00	410757	0.005	0.01	21.7	0.002
QK-17-029	48	49	1.00	410758	0.005	0.01	19.7	0.002
QK-17-029	54	55	1.00	410759	0.005	0.01	21.7	0.002
QK-17-029	60	61	1.00	410761	0.005	0.01	25.7	0.003
QK-17-029	66	67	1.00	410762	0.005	0.00	28.8	0.003
QK-17-029	67	68	1.00	410763	0.005	0.01	19.1	0.002
QK-17-029	68	69	1.00	410764	0.005	0.01	20.6	0.002
QK-17-029	69	70	1.00	410765	0.02	0.03	34.9	0.003
QK-17-029	70	71	1.00	410766	0.04	0.01	34.6	0.003

Hole #	Depth From (m)	Depth To (m)	Length (m)	Sample #	Au (g/t)	Cu %	Co ppm	Co %
QK-17-029	76	77	1.00	410767	0.005	0.01	22.4	0.002
QK-17-029	77	78	1.00	410768	0.005	0.04	24.8	0.002